Traffic Signs: Standard

- Reflective on aluminum signs are designed to meet MUTCD (Manual Uniform Traffic Control Devices) specifications
- More than 100 stock legends available in various sizes
- Choice of three materials: premium fiberglass (B-120) or reflective sheeting on aluminum (B-959), or diamond grade reflective on aluminum (B-995)



B-959 -18 x 12 - 80097



- 30 x 30 - 75093 B-959 - 30 x 30 - 94150 B-959 - 24 x 24 - 80076



- 18 x 18 - 75107 B-959 - 18 x 18 - 80079



B-959 - 24 x 24 - 94225



FG - 24 x 24 - 75094



FG - 18 x 18 - 75106 B-959 - 18 x 18 - 80090



Control traffic on your property and in your parking lot with Brady Standard Traffic Signs.



B-959 -18 x 12 - 80100



FG - 12 x 18 - 75101



B-959 - 18 x 18 - 94180



FG - 18 x 18 - 75110 B-959 - 18 x 18 - 94182



FG - 18 x 18 - 75113 B-959 - 18 x 18 - 94185



FG - 12 x 18 - 75086



B-959 -18 x 18 - 80094



B-959 - 18 x 18 - 94181



FG - 18 x 18 - 75111 B-959 - 18 x 18 - 94183



B-959 - 24 x 18 - 94190



B-959 -18 x 18 - 80091



B-959 -18 x 18 - 80092



B-959 -12 x 12 - 80096



B-959 -18 x 12 - 80108



B-959 -18 x 18 - 80093





NO Loitering

B-959 -9 x 12 - 80107



FG - 18 x 12 - 75140 B-959 - 18 x 12 - 94116 B-959 - 24 x 18 - 94117



FG - 18 x 12 - 75141 B-959 - 18 x 12 - 94119



FG - 18 x 12 - 94105 B-959 - 18 x 12 - 94120



FG - 18 x 12 - 75142 B-959 - 18 x 12 - 94124



FG - 18 x 12 - 75143



B-959 - 18 x 12 - 94127



FG - 18 x 12 - 75144 B-959 - 18 x 12 - 94130



B-959 - 18 x 12 - 94134



B-959 -24 x 18 - 80098



B-959 -6 x 12 - 80105



B-959 -18 x 12 - 80109



B-959 - 36 x 12 - 80104



B-959 - 9 x 12 - 80056



B-959 - 9 x 12 - 80055



B-959 - 9 x 12 - 80060



B-959 - 9 x 12 - 80059



B-959 - 9 x 12 - 80061



B-959 - 9 x 12 - 80058



B-959 - 9 x 12 - 80057



B-959 - 24 x 6 - 80101 B-959 - 36 x 12 - 80102



A New Manual on Uniform Traffic Control
Devices (MUTCD) Eff. 1/16/01

AN IMPORTANT STREET TRAFFIC STANDARD HAS NOW BEEN APPLIED TO YOUR OFF-STREET TRAFFIC AND PARKING AREAS WITH THE NEW FEDERAL MUTCD STANDARD.

 No person shall install or maintain in any area of private property used by the public any sign, signal, marking or other device intended to regulate, warn or guide traffic unless it conforms to the MUTCD.

ALL TRAFFIC AND PARKING SIGNS MUST BE REFLECTIVE AND MEET MINIMUM REFLECTIVE STANDARDS

- · Minimum reflective standards required
- No more non-reflective signs allowed
- Day/night inspection and maintenance of all signs is required
- All signs must conform to the standard sizes, shapes and colors called for in MUTCD

ALL POSTS USED FOR MOUNTING MUST BE BREAK-AWAY STYLE AND MOUNTED AT NEW MINIMUM MOUNTING HEIGHTS

- All supports require breakaway sockets or posts
- Minimum mounting height is 5' from the bottom of the sign to the top of the ground in rural or lowvolume areas
- Minimum mounting height is 7' from the bottom of the sign in urban or heavily traveled areas



B-959 - 9 x 12 - 80063



B-959 - 9 x 12 - 80062



B-959 - 9 x 12 - 80065



B-959 - 9 x 12 - 80064

FG-Premium Fiberglass (B-120) Reflective Aluminum (B-959) Fluorescent Yellow/Green Diamond Grade Reflective (B-995)



traffic sign accessories see pg 130-131



Traffic Sign: Standard



Correctly label your facility's roadways using Brady's Traffic Signs. And don't forget to mount your signs using durable, convenient posts sold on page 108.



B-959 - 24 x 24 - 94192



ONE WAY

DO NOT

ENTER

FG - 24 x 18 - 75162 B-959 - 24 x 18 - 94197

B-959 - 24 x 18 - 94199



FG - 18 x 24 - 75153





B-959 - 18 x 12 - 80095 FG - 18 x 12 - 75167



B-959 - 24 x 18 - 94195



B-959 - 18 x 24 - 94237

PRIVATE PARKING

- 12 x 18 - 75177



B-959 - 18 x 12 - 80077



B-959 - 18 x 12 - 80106



B-959 - 24 x 24 - 80099



B-959 - 24 x 18 - 94240



25 MPH FG - 24 x 18 - 75203 B-959 - 24 x 18 - 94209

5 MPH FG - 24 x 18 - 75199 B-959 - 24 x 18 - 94210 10 MPH

FG - 24 x 18 - 75200 B-959 - 24 x 18 - 94211 15 MPH

FG - 24 x 18 - 75201 B-959 - 24 x 18 - 94212 20 MPH

FG - 24 x 18 - 76088 B-959 - 24 x 18 - 94213



B-959 - 18 x 18 - 80073 B-959 - 30 x 30 - 80074



FG FG 24 x 24 - 75206 30 x 30 - 75207 B-959 - 18 x 18 - 94142

B-959 - 24 x 24 - 94143 B-959 - 30 x 30 - 94144 B-959 - 36 x 36 - 94145



FG - 6 x 12 - 94106 B-959 - 6 x 12 - 94123



B-959 - 18 x 24 - 94218



FG - 12 x 18



B-959 - 30" Diameter - 94307

B-959 - 24 x 24 - 94222

B-959 - 30 x 30 - 80070

B-995 - 24 x 24 - 80068 B-995 - 30 x 30 - 80069

- 75226 B-959 -











-24" per side -75062 B-959 -18" per side -80071 B-959 -24" per side -94148 B-959 -30" per side -80072



5 x 14 - 75063



B-959 - 24 x 24 - 94234 B-959 - 30 x 30 - 94235





ANCAL

B-959 - 10 x 24 - 80710 B-995 - 10 x 24 - 80711

AHEAD







B-959 - 36 x 36 - 80075





B-995 - 30 x 30 - 80067



BRADY WHEN PERFORMANCE MATTERS MOST™



▶ BriteSide® Reflective Panels

- Turns a new or existing U-channel post into a reflective surface
- Highly-reflective diamond-grade material
- 3" w x 6' h panels are available in 3 colors
- Ships complete with mounting hardware





Colors Available:

Blue 95036	

Red 95037

Yellow/Green 95038

▶ High Intensity Traffic Signs

- High intensity, reflective aluminum, signs offer the highest day and night visibility
- · Ideal for long-term outdoor use
- MUTCD compliant

Size	
18" x 18"	
24" x 24"	
18" x 30"	
30" x 30"	
36" x 36"	
30" x 30" x 30"	
36" x 36" x 36"	



95043 18" x 18" 95044 24" x 24" 95045 30" x 30" 95046 36" x 36"



95041 30" x 30"



95039 30" x 30" x 30" 95042 36" x 36" x 36"



95040 18" x 30"



Shown with BriteSide® Reflective panel for increased visibility.

Pavement Marking Tapes

▶ Pavement Marking Tape

- Easily applied to clean, dry pavement
- · Instantly conforms to the road surface
- Available in white and yellow
- High retro-directive reflectivity
- Exceed federal specification requirements for permanent pavement marking tape
- Tape roll size: 4" x 150'

▶ Economy Pavement Marking Tape

- Constructed of foil-backed vinyl, coated with sand and reflective beads to provide traction and reflect light
- Cost saving alternative for low traffic areas
- Adhesive bonds tape temporarily to clean, dry surfaces
- Available in white and yellow
- Tape roll size: 4" x 150'



Pavement Marking Tape

Pavement Marking Tape

	Catalog	Number	
Size	White	Yellow	
4" x 150'	78263	78264	



Economy Pavement Marking Tape

Economy Pavement Marking Tape

			•
	Catalog	Number	
Size	White	Yellow	
4" x 150'	78261	78262	



Use Pavement Marking Tape to temporarily redirect traffic on highways or around construction sites, or to temporarily mark driveways and parking lots.



Galvanized Posts



Round posts have no sharp angles for maintenance workers to cut their hands on.



Posts have 7/6" diameter holes on 1" centers that run the full length of the post on all four sides.

- Galvanized steel posts are manufactured of a high tensile steel and finished with uniform coatings of zinc and clear acrylic to resist corrosion
- Attractive round posts are 16 gauge and 23/8" O.D.
- Square posts are 14 gauge and 2" x 2" tube size

Size	Round* Catalog #	Square Catalog #
8'	78995*	78998
10'	78996*	78999
12'	78997*	79000

^{*} Bracket set for round posts sold separately. Order part # 94111, set of 2.




The V-Loc breakaway system helps you comply with MUTCD requirements

V-Loc Breakaway System

- Helps comply with MUTCD regulations
- Allows posts to break off cleanly at ground level resulting in less damage to vehicles
- Posts are easily replaced by removing the locking wedge and placing a new post in the socket
- Can safely be installed in concrete, asphalt or dirt by one man in a matter of minutes
- Strong steel fins hold the socket securely in the ground resisting movement from wind vibration

Catalog #	Description
78991	V-Loc Round w/ wedge
78992	V-Loc Square w/ wedge
78993	V-Loc - U-Channel w/ wedge & adapter
78994	V-Loc replacement wedge



2-3/8" Round

2" Square

U-Channel

Movable Sign Posts

- Versatile sign posts for permanent or temporary use
- Finish is black baked enamel
- Available in two different sizes:
- 14" diameter, 16 pound cast iron base with 1" diameter, 48" pipe is pre-drilled for signs that are 18" x 12" in size
- 17" diameter, 35 pound cast iron base with 11/2" diameter, 48" pipe is pre-drilled for signs that are 18" x 18", 24" x 18", or 24" x 24" in size

Base	Catalog Number
16½ lb	86336
35 lb	86345



Brady Movable Sign Posts

Sign Base


- Mount on sidewalks or paved areas without costly digging and damage
- Ideal for temporary use
- Securely mounts with three expansion bolts
- Accepts U-channel Posts (sold separately on page 127)
- Cast aluminum base is 15" in diameter and includes post mount stub and hardware



Brady Sign Base works with any style post.

Catalog Number 86339





▶ U-Channel Sign Posts

- · Ideal for mounting and installation of traffic signs and utility signage
- Baked green enamel finish on hot-rolled, high-tensile strength steel for years of maintenance-free performance
- Weight: two pounds per linear foot
- Hardware sold separately below
- ¾" holes, 1" on center

95047
95047
97204
97205*
97206*
31200

*Posts will ship via motor freight



U-Channel Sign Post

Vandal-Proof Tufnut™ (A)

- · Plated steel nut secures tightly to prevent sign theft
- 5/16" nut for use with U-Channel Sign Posts (sold above)
- Set includes: 2 bolts, 2 washers and 3 Tufnuts™

Nuloc I™ Fastener (B)

- Nylon fastener is maintenance free
- · Easy on and off with no tools required
- Use to attach signs to Tuff-N-Light™ U-Channel Composite Posts (sold below)
- Set includes: 2 stems and 2 clips

Nuloc II™ Fastener (C)

- Nylon fastener features adjustable tightening
- May be reused or cut off slip wings for permanent applications
- Use to attach signs to Tuff-N-Light™ U-Channel Composite Posts (sold below)
- Set includes: 2 stems and 2 clips



Catalog	Number
90912	





Tuff-N-Light™ U-Channel Posts

- Composite posts are lightweight and maintenance-free
- · Ideal for traffic and industrial signage
- Available in Closed or open profile styles
- Closed profile posts are 6 times torsionally stronger than steel posts and are pointed for easy installation
- Open profile posts are for signs up to 12" x 18"
- Length is 8'
- · Choice of white or green


Use the following chart as a guideline when deciding length of sign post:

Height	Minimum Depth
of Post	Required Underground
4 ft.	12 iņ.
6 - 8 ft.	18 - 23½ in.





Vandal-Proof™ Tufnuts (A), Nuloc I™ Fasteners (B), and Nuloc II™ Fasteners (C)





Closed

Profile

Open

Profile

Street Signs & Accessories

Main St

Custom Street Signs Signs are double-faced

- Available with extruded or flat aluminum blades
- 2 material choices: High Intensity or Engineer Grade Sheeting
- Choose from 5 styles:
 - **STYLE 1** All copy 4" with upper and lower case (height = 6")
 - **STYLE 2 –** All copy 4", all upper case (height = 6")
 - **STYLE 3** Prefix and suffix copy 2", centered top to bottom (height = 6")
 - **STYLE 4 –** Prefix, suffix, and block numbers are 2", primary copy is 4" and all upper case (height = 6")
 - **STYLE 5 –** 9" Street name and blanks, either 5" or 6" primary copy is used with all upper case, or a combination of upper and lower case. The prefix and suffix are usually one half of the primary legend height and can be either all caps or a combination of upper and lower case.

STYLE 2

STYLE 3

STYLE 5

- STYLF 4

Street Sign Accessories



Post Top

Sits at 180° to post flange




Tubular Post Top

Mount on top of post



4-Way Cross Piece

· Mount on top of another street sign for additional sign



Jumbo Wing Bracket

21" bracket can meet the challenges of mounting 9" high street name blades



Stainless Steel Strapping

Printed with same copy on each side

• Size is 6" or 9" high by variable lengths

³/₄" x 100' x 0.30" coil in dispensing box



Stainless Heavy-Duty Buckle

³/₄" width, 100 per package



Standard Strapping Tool

Built-in cutter

Description	Catalog No.
Post Top	56680
Tubular Post Top	56687
4-Way Cross Piece	56681
Jumbo Wing Bracket	56688
Stainless Steel Strapping	56694
Stainless Heavy-Duty Buckle	56695
Standard Strapping Tool	56697



Traffic Control Paddles

- Traffic Control Paddles are made of aluminum providing durability for years of on-the-job use.
- Paddles are 18" octagons and weigh 2 lbs.
- For greater flexibility and increased visibility add the 5 foot long aluminum handle.

Style No.	Description
57754	Stop (Red/White) & Slow (Orange/Black)
57755	Stop (Red/White) both sides
55775	Stop (Red/White) & Go (Green/White)
55784	5 foot Long Handle Extension





Roll-Up Signs & Stand



- · Signs set up in seconds
- · Fiberglass cross-braces in stands
- · Stand has 4 adjustable telescoping legs to ensure stability
- Optional flag assembly and flags available
- Signs available in Reflective Vinyl (RV) or Nonreflective Mesh (NM)

Description	Catalog No.
Sign Stand	57067
Flag Assembly	57072
Tripod	57069
Cross Ribs for 36" Sign	57070
Cross Ribs for 48" Sign	57071
Warning Flag	13377

CONSTRUCTION : AHEAD :	DETOUR :AHEAD:		END UTILITY WORK	BE PREPARED TO STOP	FLAGGER:AHEAD:
RV - 36" - 56750 RV - 48" - 56760 NM - 36" - 56729 NM - 48" - 56755	RV - 36" - 56766 RV - 48" - 56768 NM - 36" - 56765 NM - 48" - 56767	RV - 36" - 56795 RV - 48" - 56797 NM - 36" - 56794 NM - 48" - 56796	RV - 36" - 56787 RV - 48" - 56789 NM - 36" - 56769 NM - 48" - 56788	RV - 36" - 56726 RV - 48" - 56728 NM - 36" - 56699 NM - 48" - 56727	RV - 36" - 56791 RV - 48" - 56793 NM - 36" - 56790 NM - 48" - 56792
	MEN WORKING			MOWING :AHEAD:	ONE LANE ROAD : AHEAD :
RV - 36" - 57024 RV - 48" - 57026 NM - 36" - 57023 NM - 48" - 57025	RV - 36" - 56799 RV - 48" - 56802 NM - 36" - 56798 NM - 48" - 56800	RV - 36" - 57008 RV - 48" - 57010 NM - 36" - 57007 NM - 48" - 57009	RV - 36" - 57040 RV - 48" - 57042 NM - 36" - 57039 NM - 48" - 57041	RV - 36" - 56805 RV - 48" - 56819 NM - 36" - 56804 NM - 48" - 56818	RV - 36" - 57000 RV - 48" - 57002 NM - 36" - 56951 NM - 48" - 57001
ONE LANE CLOSED AHEAD	RIGHT LANE CLOSED :AHEAD:	RIGHT: SHOULDER CLOSED	ROAD CLOSED :AHEAD:	ROAD WORK :AHEAD: *	SHOULDER WORK ;AHEAD; *
RV - 36" - 56897 RV - 48" - 56950 NM - 36" - 56821 NM - 48" - 56949	RV - 36" - 57004 RV - 48" - 57006 NM - 36" - 57003 NM - 48" - 57005	RV - 36" - 57012 RV - 48" - 57014 NM - 36" - 57011 NM - 48" - 57013	RV - 36" - 57016 RV - 48" - 57018 NM - 36" - 57015 NM - 48" - 57017	RV - 36" - 57020 RV - 48" - 57022 NM - 36" - 57019 NM - 48" - 57021	RV - 36" - 57028 RV - 48" - 57030 NM - 36" - 57027 NM - 48" - 57029
		OVERLAYS	I F F T	inn ft	

*Overlays can be used with Roll-up signs w/ snaps

WORK

AREA

:AHEAD:

RV - 36" - 57036 RV - 48" - 57038 NM - 36" - 57035 NM - 48" - 57037

UTILITY

WORK

:AHEAD

RV - 36" - 57032 RV - 48" - 57034 NM - 36" - 57031 NM - 48" - 57033

LEFT

RV	-	for 36" -	57048
RV	-	for 48" -	57050
NM	-	for 36" -	57047
NM	-	for 48" -	57049

1000 FT

					57056
RV	-	for	48"	-	57058
NM	-	for	36"	-	57055
NM	-	for	48"	-	57057

500 FT

RV	-	for 36" - 57052	
RV	-	for 48" - 57054	
NM	-	for 36" - 57051	
NM	-	for 48" - 57053	

1500 FT

r 48" - r 36" -	57056 57058 57055	RV - for 36" - 57060 RV - for 48" - 57062 NM - for 36" - 57059
r 48" -	57057	NM - for 48" - 57061

Signs

Size	Material
36"	Reflective Vinyl (RV)
48"	Reflective Vinyl (RV)
36"	Non-Reflective Mesh (NM)
48"	Non-Reflective Mesh (NM)

Overlays

_	
Size	Material
for 36"	Reflective Vinyl (RV)
for 48"	Reflective Vinyl (RV)
for 36"	Non-Reflective Mesh (NM)
for 48"	Non-Reflective Mesh (NM)



RIGHT

RV - for 36" - 57044 RV - for 48" - 57046 NM - for 36" - 57043 NM - for 48" - 57045



▶ A-Frame Barricades

- A-Frame legs are 42" high and the base is 28" wide
- Made from impact-resistant polyethylene
- Available as a Single board set or Double board set

Length	Single Board Set	Double Board Set
6'	57073	57502
8'	57445	57593
10'	57446	57594



Plastic Barricade

- Made of rugged polyethylene
- Folds flat for easy storage
- Standard barricade (45"h x 25"w)
- Narrow barricade available in two sizes
- Body color white
- Available in 2 styles Type I has reflective sheeting on upper panel and Type II has reflective sheeting on upper and lower panel

Description	Part Number
Standard Type I	57599
Standard Type II	57627
Narrow 13"w x 36"h	57630
Narrow 13"w x 45"h	57633



Metal Folding **Barricades**

- Made of UV stabilized white high density polyethylene with reflective sheeting
- Available in 2 styles Type I has reflective sheeting on upper panel and Type II has reflective sheeting on upper and lower panel
- Size 42"h x 24"w

Description	Part Number
Type I	57596
Type II	57597



▶ Emergency Warning Triangles

- Red reflectors for day and night visibility
- Base is weighted for stability
- 3 triangles per pack
- Solid base
- 13 lbs. each


Part	Number
5789	2



Traffic Barrel

- Barrel is designed to "break-away" from base if struck by a vehicle
- Add up to 53lbs. of sand for wind
- Size: 40", including the 4" high base

Part	Number
5777	1



▶ Slow Moving Vehicle Sign

- Use on vehicles moving 25 mph or less
- Size 14" x 16"
- Available in 3 reflective materials
- Hardware not included

Material	Part Number
Vinyl	57893
Steel	57894
Aluminum	57895

