

Warning Posts

Bradylink® Warning Post



Bradylink® Warning Posts provide sturdy support for barricading chain and tapes.

- Bases and tops are made of polyethylene - posts are made of polystyrene
- Bases and tops included
- Non-conductive - posts can be safely used in electrically hazardous areas
- Non-rusting - unlike metal posts, Bradylink® plastic parts cannot rust
- Fillable base - hollow base can be filled with sand for more stable application
- Large C-hook holds chain in place on large posts – use open or closed for greater security
- Post dimension: Lg - 3" O.D., Sm - 2.5" O.D.
- Post height: Lg - 41", Sm - 40"
- Base dimension: Lg - 16" diameter, Sm - 14" diameter

■ Solid Color Warning Posts

- Available in black, white and yellow

Post Color	Size	Catalog Number	
		Per Box of 1	Per Box of 6
Black	LG	92116	92119
White	LG	92117	92120
Yellow	LG	92118	92121
Black	SM	80937	80943
White	SM	80939	80945
Yellow	SM	80938	80944

■ Striped Warning Posts

- Use reflective posts for added visibility at night or in low light areas to warn of potential hazards
- Posts have alternating two-color 4" bands

Non-Reflective

Post Color	Size	Catalog Number	
		Per Box of 1	Per Box of 6
Black & Yellow	LG	92122	92123
Yellow & Magenta	LG	92126	92127
Black & Yellow	SM	80940	80946
Yellow & Magenta	SM	80941	80947

Reflective

Post Color	Size	Catalog Number	
		Per Box of 1	Per Box of 6
Black & Yellow	LG	92124	92125
Black & Yellow	SM	80942	80948

■ Replacement Bases and Tops

- Made of B-900 polyethylene
- Replacement parts for Warning Posts
- Bases and Tops available in black, white and yellow
- Standard package: 1

Bases

Color	Size	Catalog Number
Black	LG	92128
White	LG	92129
Yellow	LG	92130
Black	SM	80949
White	SM	80951
Yellow	SM	80950

Tops

Color	Size	Catalog Number
Black	LG	92131
White	LG	92132
Yellow	LG	92133
Black	SM	80952
White	SM	80954
Yellow	SM	80953

■ C-Hooks

- Made of B-900 polyethylene
- Available in black, white and yellow
- Standard package: 6


Color	Catalog Number
Black	92011
White	92012
Yellow	92010



Barricade potentially hazardous areas indoors or outdoors with portable plastic Post and Chain. Their lightweight yet tough construction stands up to years of indoor use in temporary or permanent applications.



Insert Post into base and turn into place. Base may be filled with sand or gravel to make the assembly more stable.



Drop C-hook into Post slots, insert Post top, and turn into place. Large C-hook holds chain in place.

Warning Chain

Bradylink® Warning Chain


- Made of polyethylene
- Available in yellow, white, orange and black; and alternating black/yellow and magenta/yellow - colors alternate every 24"
- Link design prevents kinking
- For decorative use only - not intended to support heavy objects
- Available in 3 sizes: 1½", 2" and 3"
- Standard package: 100 feet
- Indoor Use Only

Color	Catalog Number		
	Size 1½"	Size 2"	Size 3"
Yellow	78234	78238	37860
White	78235	78239	37861
Orange	—	78241	37862
Black	—	78268	37863
Alternating Black/Yellow	—	78254	37864
Alternating Magenta/Yellow	—	78267	37865
Weight Per 100' Bag	4 lbs.	6 lbs.	16 lbs.

Bradylink® Warning Chain is lighter than similar metal parts - chain weighs 6 lbs. per 100 feet of link design.



Bradylink® Warning Chain Dimensions			
A	1½"	2"	3"
B	3¼"	1⅞"	2⅞"
C	¾"	1⅞"	1"
D	¾"	1⅞"	1⅞"
E	¾"	¼"	⅞"
Standard chain length 100'			



Customize It

Additional Bradylink® Warning Chain colors are also available. Contact your local Brady Distributor for more information.

Brady Connecting Hooks and Links

Connecting Hooks

- Used to attach lengths of chain
- Made of B-900 polyethylene
- Available in three sizes: 1½", 2" and 3"
- Available in yellow, white and black
- Standard package: 36 hooks

Size	Catalog Number		
	Yellow	White	Black
1½"	78255	78256	—
2"	78257	78258	78259
3"	37866	37867	37868



Connecting Links

- Use for more permanent applications or to repair chain link
- Made of B-900 polyethylene
- Available in three sizes: 1½", 2" and 3"
- Choose from yellow, white or black
- Standard package: 36 links

Size	Catalog Number		
	Yellow	White	Black
1½"	78244	78245	—
2"	78246	78247	78248
3"	37869	37870	37871




Post Sign Holder and Adapter

Post Sign Holder

- Made of polycarbonate
- Use indoors or outdoors
- Readable from two sides - able to display different legend on each side
- Open end allows for easy changing
- Supplied with mounting holes in each corner for wall mounting
- Need to be placed in Post Sign Adapter (sold separately at right) for use with large Bradylink® Warning Posts
- Accommodates 7" x 10" or 10" x 14" Self-Sticking Vinyl Safety Signs
- Choose from yellow or black
- Standard package: one holder

Color	Size	Catalog Number
Yellow	7" x 10"	92262
Yellow	10" x 14"	92264
Black	7" x 10"	92263
Black	10" x 14"	92265



The Brady Sign Holder will meet your variable message requirements.

Post Sign Adapter

- Made of polyethylene
- Adapter locks in place on top of Brady Warning Posts
- Choose from yellow or black
- Adapter size: 6" x 2" for large post
- Adapter size 5" x 1.75" for small post



Use the Post Sign Adapter to inexpensively convert Brady Warning Posts into a sign holder.

Color	Size	Catalog Number	Catalog Number
Yellow	6" x 2"	92134	92136
Black	6" x 2"	92135	92137
Yellow	5" x 1¾"	80959	80961
Black	5" x 1¾"	80958	80960

Indoor Tensabarrier™ System



This attractive pedestrian control system is portable and easy to change.

Tensabarrier™ Barricade System

- Black posts are 40" high
- 14" diameter base weighs 26 pounds
- Pull out belts are 7.5' long

Catalog No.	Description
80125	Post w/ Black/White Stripe Belt
80126	Post w/ Black/Yellow Stripe Belt
80127	Post w/ Black/Yellow "CAUTION—DO NOT ENTER" Belt
58413	Wall-mount End

Plexiglass Signs

- Signs are made of durable Plexiglass
- 11" x 7" signs are available in 5 legends
- Signs are white letters on black background
- Signs are 1/8" thick

Catalog No.	Description
80129	"Please Wait Here For Next Available Teller" (single faced)
80133	"Please Enter Here" (double faced)
80132	"Exit" /Back reads "Exit, Please Do Not Enter"
80130	"Please Wait Here For Next Available Clerk" (single faced)
80131	"Please Wait Here For Next Available Agent" (single faced)
80128	Sign Bracket

Traffic Cones

Standard Traffic Cones

- Meets MUTCD specifications
- All vinyl construction assures flexible, yet rugged durability in all types of weather
- High visibility fluorescent color
- Ultraviolet stabilized to resist fading
- Available in 2 sizes: 18" and 28"

Cone Collars

- High intensity reflective collar
- Adhesive backed reflective sheeting is easy to mount
- One size fits many size and shape cones
- UV and abrasion resistant



Cone Signs

- 10½" x 12¾"
- Firm-Grip locks on traffic cone
- Durable plastic sign fits any standard traffic cone or delineator
- Easy to install, no tools needed
- Use for traffic direction
- Legend on one side only

Cone Sleeves

- Convert your traffic cones into warning signs automatically.
- Durable vinyl sleeves are great for use indoors and out.
- Sleeves fit snugly over your cones and are flexible, durable and waterproof.
- Size: 19.75" x 9.398" (H x W)

Catalog No.	Description
101969	Caution – Do Not Enter
101970	Caution – Keep Out
101971	Caution – Wet Floor
101972	Danger – Vehicle May Become Energized

Cone Stabilizer

- Prevents cones from blowing over in high winds
- Octagonal stabilizer fits 18" and 28" cones
- Weighs 7 lbs.



Catalog No.	Description
80111	18" Cone
80112	24" Cone
80113	4" Cone Collar
80114	6" Cone Collar
80115	Cone stabilizer

Easy Snap-On Sign

- Fits like a paper-clip

Description
10½" x 12¾"
DO NOT ENTER 80117
MEN WORKING 80119
NO PARKING 80115
SLOW 80116
WET FLOOR 80118



101969

101970

101971

101972

Bradycone™ Warning System/Pictograms

Bradycone™ Warning System

- Made of high impact, weather-resistant materials
- Use indoors and outdoors
- Four-sided visual cautions eliminate blind areas
- Easy stacking for storage
- Cones available in two sizes: 25" and 35"
- Choose from a variety of colors and legends



Use Bradycone™ Warning System for any of your hazardous warning needs.

Height	Description	Catalog Number
25"	Yellow cone, red and black "Wet Floor" legend	77200
25"	Yellow cone, red and black "Safety First" legend	77201
25"	Orange cone, blank	77199
25"	Yellow cone, blank	77198
35"	Yellow cone, red and black "Wet Floor" legend	77202
35"	Yellow cone, red and black "Safety First" legend	77203
35"	Lime Green cone, red and black "Wet Floor" legend	98124
35"	Lime Green cone, red and black "Safety First" legend	98125
35"	Orange cone, blank	77204
35"	Yellow cone, blank	77205

Pictogram Labels

- For use with Bradycone™ Warning System
- Self-sticking labels
- Label size: 8¼" x 8¼"
- Sold separately

Description

Pictogram labels



77222



77217



77219



77220



77221



77223



94917




77218



77216



77224



77225



77226



77227

Bradycone™ Accessories

- Accessories work with above Bradycone™ Warning System
- Belt attaches to any Bradycone™ in minutes and alleviates traffic in work areas
- Lock-in signs provide warning for specific problems
- Lock-in chains control pedestrian traffic
- Lock-in safety lights for use in darkened areas

Product	Description	Catalog Number
Warning Belt	Retractable spring unit with 2" belt extends 0-7'6"	98126
Lock-in Sign Frame	Black, 10" height (when attached), 8¼" x 8¼" face	77210
Safety Light	Flashes up to 200 hours on 2 "D" cell batteries (batteries not incl.)	77206
Lock-In Chain	Yellow, 20' plastic link, locks directly into cone	77207
Weight Ring	For 25" Cone – 7 lbs.	77228
Weight Ring	For 35" Cone – 9 lbs.	77208
Weight Ring	For 35" Cone – 21 lbs.	98127



Lock-in Sign Frame



Weight Ring



Safety Light



Bradycone™ Warning Cones with Warning Belt

Floor Stands

Heavy Duty Floor Stands



Heavy-Duty Floor Stands help warn employees and visitors of potential floor hazards.

Legend	Catalog Number
WET FLOOR	104809
CAUTION	104810
CLOSED	104811
Blank	104808

- Made of heavy-duty, high density yellow polypropylene
- Lettering will not chip, peel or fade
- Maintenance-free floor stand will not dent or corrode
- Large message area is visible from over 30'
- Wording appears on both outside panels
- Three legends or blank stand available
- Wording in Spanish, German and French for CAUTION and CLOSED legends
- Stand height: 24¾" (closed)
- Standard package: 1 unit



Reversible Floor Stands

- Made of lightweight corrugated polypropylene material (B-836)
- Printed on both sides - inside and out - offering two stands for the price of one
- Stand size: 12" wide by 20" high (closed)
- Standard package: 1 unit



92284



92286



92281



92285



92280



92283



92288



92289



92282



Floor Signs

Floor Stands



- Made of durable Polystyrene Plastic
- Printed with same message on both sides
- Size: 12" wide by 20" high
- Standard package: 1 unit



47241



47242



47243



47244



47245



47248



47236



47237



47239



47240



47250



47251



47238



47249

The Brady Boys



The Brady Boys offer an attractive alternative for barricading hazardous areas.

- Made of high-impact polyethylene
- Interlocking - no tools or added parts needed
- Legend reads: Caution...Out of Service
- Weight: 5½ lbs. each
- Height: 41" each
- Thickness: 1"
- Width: 31" each
- Standard package: box of two



Legend	Catalog Number
Caution...	
Out of Service	92270

Handy Cone™ Floor Signs

- Collapsible, spring-loaded, pyramid-shaped signs set up in seconds
- Stored in a 2" diameter tube
- Standard package: 1 unit



18" - 47374
31" - 47380



18" - 47372
31" - 47378



18" - 47371
31" - 47377




18" - 47376
31" - 47382

Underground Warning Tape

Identoline® Underground Warning Tape



Identoline® Underground Warning Tape is buried 12" to 18" below ground level. Digging crews receive warning of buried lines and cables, allowing a margin of safety between the tape and the buried line.



- Made of heavy-duty B-720 polyethylene material
- Resists acid, alkalis and other soil substances
- Tape is 4.0 mil. thick with a tough tensile strength of 1750 psi
- Easily identified - APWA (American Public Works Association) color coding
- Overcoated graphics provide long-lasting legibility and hold color values
- Economical - compared to the cost of line damage, Identoline® tape is cost-effective for use over the entire length of the line
- Available in seven utility classes in corresponding APWA colors
- Roll size: 6" x 1,000 ft.
- Standard package: one roll

Utility Class	APWA Color	Size W X L	Catalog Number
Cable T.V.	Orange	6" x 1,000 ft.	63009
Reclaimed Water	Purple	6" x 1,000 ft.	63050
Gas	Yellow	6" x 1,000 ft.	91294
Electric*	Red	3" x 1,000 ft.	91295
Electric	Red	6" x 1,000 ft.	91296
Telephone	Orange	6" x 1,000 ft.	91297
Water	Blue	6" x 1,000 ft.	91298
Sewer	Green	6" x 1,000 ft.	91299

Detectable Identoline® Warning Tape



Detectable Identoline® tape minimizes time spent locating buried lines thus reducing field costs. The tape is buried 4" to 6" below the surface for maximum detectability.

- Made of tough B-721 metal detectable polyester material
- Subsurface graphics seal the legend from acids, alkalis and other soil substances
- Easily identified - sharply printed legend on APWA color-coded background
- OSHA approved - meets OSHA regulation 1926.956(c)(1) covering location or underground utility lines
- Cost-effective - detectability feature minimizes line locating time and needless digging expenses. Utility/contractor liability is reduced and expensive line damage is averted
- Easily installed - may be manually or automatically installed
- Available in five utility classes in corresponding APWA colors
- Foil is 4.5 mils
- Roll size: 2" x 1,000 ft.
- Standard package: one roll

Subsurface Printed Polyester ▶
Aluminum Foil Core ▶
Polyester Underlamine ▶

CAUTION: BURIED

Utility Class	APWA Color	Size W X L	Catalog Number
Gas	Yellow	2" x 1,000 ft.	91600
Electric	Red	2" x 1,000 ft.	91601
Water	Blue	2" x 1,000 ft.	91603
Sewer	Green	2" x 1,000 ft.	91604
Fiber Optic	Orange	2" x 1,000 ft.	91606

Barricade & Flagging Tape

Woven Barricade Tape

- Made of B-903 polypropylene
- Contains ultraviolet inhibitors for permanent outdoor marking
- Choice of three colors
- Two roll sizes available:
¾" x 150' and 2" x 200'
- Standard package: one roll

Size	Color	Catalog Number
¾" x 150'	Black/Yellow	91172
¾" x 150'	Magenta/Yellow	91173
¾" x 150'	Black/Red	91175
2" x 200'	Black/Yellow	91176
2" x 200'	Black/Red	91179



Use Woven Barricade Tape for any of your permanent outdoor marking needs.

Re-Pulpable Barricade Tape

- Made of 100% strong woven, biodegradable cotton material
- Tape will break down if accidentally introduced into the system
- Three stock legends available
- Choose from two colors: black on yellow or black on red
- Two roll sizes available: 2" x 50 yds. and 3" x 50 yds.
- Standard package: one roll

Legend	Color	Size W X L	Catalog Number
Caution	Black/Yellow	2" x 50 yds.	91082
Caution	Black/Yellow	3" x 50 yds.	91083
Danger	Black/Red	2" x 50 yds.	91086
Danger	Black/Red	3" x 50 yds.	91084
Danger Do Not Enter	Black/Red	3" x 50 yds.	91085
Danger Do Not Enter	Black/Yellow	3" x 50 yds.	91087



Re-Pulpable Cotton Barricade Tape is ideal where traditional plastic tapes could cause contamination.

Bradystripe™ Temporary Sign Tape

- Made of B-933 vinyl tape
- Self-sticking - adhesive tape allows easy installation to most wood, metal or concrete walls and floors
- Tears apart easily - perforated every 14" for easy application
- Removes cleanly with no adhesive residue
- Seven legends available
- Roll size: 2" x 100'
- Standard package: one roll

Legend	Legend Color	Background Color	Catalog Number
Caution/Do Not Enter	Black	Yellow	91230
Caution/Men Working	Black	Yellow	91231
Caution/Construction Area	Black	Yellow	91232
Caution	Black	Yellow	91233
Danger/High Voltage	Black	White	91234
Fire Extinguisher	Red	White	91235
Caution/Radioactive Material	Magenta	Yellow	91236



Highly visible striped pattern is combined with a worded legend to provide instant recognition of hazard areas.

Tape Tender

- Lightweight, indestructible, polypropylene construction
- Dispenses 1,000' rolls of any 2" or 3" plastic tape
- Tape advances as needed using thumb
- Steel safety cutting blade cuts fast and smooth
- Easy-fill, self-storing reel ends waste and snarl
- Patent No. 5,538,170

Catalog Number
72412

Tape Tender dispenses plastic barricade and identification tape quickly, safely and efficiently.



Warning Stripe & Check Tapes

Warning Stripe & Check Tape



Safety Color Code for Marking Physical Hazards

[1910.144(a)]. Use yellow and black for physical hazards, red and white for fire protection equipment, black and white for traffic and housekeeping markings, magenta and yellow for radiation hazards.

- Made of B-950 vinyl
- Locked-in colors - sealed beneath protective layer of abrasion resistant clear vinyl
- Permanent adhesive - holds on almost any clean, dry surface
- Stands up to the toughest indoor conditions
- Meets OSHA specifications
- Easy application
- Bold patterns
- Choice of four sizes
- Stripes available in four colors; checks available in two colors
- Standard package: one 18 yd. roll



Hazardous areas are clearly indicated with high visibility Warning Stripe & Check Tape.

Width	Catalog Number Stripes Black & Yellow	Red & White	Black & White	Magenta & Yellow	Green & White	Checks Black & White	Black & Yellow
1"	55300	55294	55290	-	-	-	-
1½"	55301	55295	55291	55312	-	-	-
2"	55302	55296	55292	55313	90019	76316	76317
3"	55303	55297	55293	55314	90020	76318	76319

Warning Panels



Yellow & Black

- Made of B-946 self-stick vinyl
- Two sizes available: 5½" x 16⅞" and 11¼" x 16⅞"
- Yellow and black stripes on panel
- Standard package: 10 panels

Size	Yellow & Black
5½" x 16⅞"	55318
11¼" x 16⅞"	55319

Stripe Aisle Marking Tape



Use Striped Aisle Marking Tape to warn against potential hazards or to caution against unsafe practices.

- Made of B-950 vinyl
- Three legends available
- Black and yellow stripes
- Tape size: 3"
- Standard package: one 60' roll




Yellow and Black Caution Tape-29 CFR 1910.145(c)(2)

Caution signage shall be used to warn against potential hazards or to caution against unsafe practices.

Legend	Size	Color	Catalog Number
Caution	3"	Black/Yellow	58255
Caution/Do Not Enter	3"	Black/Yellow	58256
	3"	Black/Yellow	58257

Brady Aisle Marking Supplies



Aisle Marking Tape-for use with obsolete Brady Marking Tape Applier

- Tape fits aisle marking tape applier sold in prior catalogs
- Made of long-wearing B-725 vinyl tape
- Applies quickly and sticks tightly
- Choose from yellow, red, green, white, blue or black
- Tape available in two sizes: 2" and 3"
- Standard package: one 36 yd. Roll
- Tape does not work with Universal Line Applicator



Paint-for use with obsolete Brady Paint Striper

- Paint is used with paint striper sold in previous catalogs
- Paint available in yellow, red, blue or white
- Standard package: case of twelve 20 fl. oz. Cans
- Paint does not work with Universal Line Marker

Paint

Catalog No.				
Yellow	Red	Blue	White	
56901	56902	56903	56904	

	Catalog No.									
Size	Yellow	Red	Green	White	Blue	Black	Orange	Brown	Purple	Grey
2"	58200	58201	58202	58203	58220	58222	102825	102828	102827	102826
3"	58250	58251	58252	58253	58221	58223	102829	102832	102831	102830
4"	102838	102836	102834	102837	102833	102839	102835	102840	-	-

Safety Mirrors



Convex - 60° visibility eliminates blind intersections.

- Made of impact-resistant plastic
- Improve visibility and safety by providing a wide or enhanced field of vision
- Perfect for warehouses, loading docks, production areas, offices and public areas
- Two styles available: dome or convex
- Use dome mirrors to view large areas or for overhead viewing
- Use convex mirrors in low ceiling areas, elevators and smaller viewing areas
- Hardware included



Dome - prevents collision in high hazard areas.

Size	Description	Catalog Number
26" diam.	Outdoor Convex	86340
18" diam.	Indoor Convex	86341
18" diam.	Half Dome 180°	86342
18" diam.	Quarter Dome 90°	86343
24" diam.	Full Dome 360°	86344

Reflective Stripes, Checks & Color Tape

- Made of B-957 reflective tape
- Choice of two sizes: 2" and 3"
- Solid Color Tapes available in white, yellow or orange
- Stripes available in black & yellow, red & white, or black & white; checks available in black and yellow
- Standard package: one 5 yd. roll

Solid Color Tapes

Width	Catalog Number		
	White	Yellow	Orange
2"	78985	78986	78989
3"	78987	78988	78990

Stripes & Checks

Width	Catalog Number			Checks Black & Yellow
	Stripes Black & Yellow	Red & White	Black & White	
2"	76308	76309	76310	76321
3"	76312	76313	—	—



Give an extra margin of safety during blackouts, at night, or in low light conditions with Reflective Stripes, Checks and Solid Color Tapes.

"Glow-in-the-Dark" Stripes & Solid Tape

- Made of B-324 phosphorescent
- Two sizes available: 2" and 3"
- Standard package: one 5 yd. roll

Stripes

Width	Catalog Number
2"	76430
3"	76431

Solid

Width	Catalog Number
2"	76432
3"	76433



Use Brady "Glow-in-the-Dark" Tapes for visible marking at night or in low light conditions.

"Glow-in-the-Dark" Arrow Tape

- BradyGlo™ B-324 arrow tapes exceed ASTM E 2072-00 standard specifications
- Designed for safe LLL (Low Level Lighting) egress pathway marking during power outages and emergency situations
- Made of B-324 phosphorescent surface printed polyester
- Two sizes available: 2" and 3"
- Two directional graphic styles available: V and Arrow
- Standard package: one 5 yd. roll

V-Style

Width	Catalog No.
2"	90971
3"	90972

Arrow-Style

Width	Catalog No.
2"	90973
3"	90974



☒
FYI

BradyGlo™ 10+ hour material exceeds these standards:

ASTM E2072-00/E2073-02/
E2030-02

ASTM/E162/E648/E662,
SMP800C

IMO Resolution A. 752(18)

ISO/CD 15370

PSPA Standard 002
Part 2 1993

Class A Rev. 2: 09/99

DIN 67 510, Parts 1-4

NFPA 101 Life Safety Code
2000 7.10.7.2

OSHA 1910.37

Lloyd's Register Cert.
01/6007

Anti-Skid Tape

Anti-Skid Tape – Roll Mounted



- Made of rugged B-916 adhesive-backed polyester tape coated with thousands of particles of durable aluminum oxide grit
- Bonds permanently to clean, dry floors
- Works indoors and outdoors
- Withstands grease and oil
- Eliminates masking, cleanup and drying time
- Available in a variety of sizes and colors
- Standard package: one 60' roll

Color	Size	Catalog Number
Black	1" x 60'	78189
Red	1" x 60'	78197
Black	2" x 60'	78190
Red	2" x 60'	78198
Safety Yellow	2" x 60'	78091
Pebble White	2" x 60'	78187
Clear	2" x 60'	78188
Black	4" x 60'	78191
Red	4" x 60'	78199
Safety Yellow	4" x 60'	78092
Black	6" x 60'	78193
Black	12" x 60'	78194




Anti-Skid Tape is available in a variety of colors for any floor marking needs.

Sure traction of Anti-Skid Tape helps prevent slipping and falling on wet or slick floors.

Hazard Marking Tape



- Made of B-819 matte anti-slip overlaminate
- Available in four legends
- Tape size: 3"
- Standard package: one 18 yd. roll

Legend	Size	Color	Catalog Number
Caution	3"	Black/Yellow	92414
Caution/Do Not Enter	3"	Black/Yellow	92415
Caution/Watch Your Step	3"	Black/Yellow	92416
	3"	Black/Yellow	92417

Mark dangerous areas of your plant with Hazard Marking Tape.

Striped Anti-Skid Tape



- Made of B-916 grit coated polyester tape
- Adhesive backed plastic tape with an oxide grit coating
- Five sizes available
- Black and yellow striped
- Standard package: one 60' roll

Color	Size	Catalog Number
Black & Yellow Stripe	1" x 60'	78146
Black & Yellow Stripe	2" x 60'	78147
Black & Yellow Stripe	3" x 60'	78148
Black & Yellow Stripe	4" x 60'	78149
Black & Yellow Stripe	6" x 60'	78150

Bright yellow and black Striped Anti-Skid Tape aids visibility of hazardous areas.


Safety Track® Resilient Tapes

- Easily cleaned—can be mopped
- Aesthetically pleasing
- Kinder, gentler product without sacrificing performance
- Ideal for clean room, lab facilities, food processing
- Made of laminated, calendered film

Size	Catalog Number	
	Black	Gray
2" x 60'	98454	98458
4" x 60'	98455	98459
6" x 60'	98456	98460
6" x 24" cleat	98457*	98461*

*Cleats are 50 per package

Safety Track® Resilient is tough enough to use where other grit anti-slip tapes are used, but is gentler to the touch. Embossed blend of synthetic products create a high performance, non-skid surface.




Anti-Skid Tape – Diecut Cleats

- Made of B-916 grit-coated polyester tape
- Available in black
- Choice of three sizes
- Standard package: 50 cleats

Color	Size	Catalog Number
Black	¾" x 24"	78192
Black	6" x 24"	78195
Black	5½" x 5½"	78196



Installation of Diecut Cleats is easy - just peel off protective liner and press in place.



"Glow-in-the-Dark" Anti-Skid Tape – Diecut Cleats

- Cost effective to purchase and install
- Easy to clean
- Made from B-916 grit-coated polyester tape
- Material is non-toxic, non-radioactive, environmentally friendly and installs easily
- Tape and cleats comply with ASTM E-2072 and ASTM E2073 standard specifications for photoluminescent safety markings and standard test methods for luminance of photoluminescent markings

Catalog No.	Description	Size
99048	Glow-in-the-Dark ANTI-SKID Tape Roll	1" x 60'
99049	Glow-in-the-Dark ANTI-SKID Tape Roll	2" x 60'
99050	Glow-in-the-Dark ANTI-SKID Tape Roll	4" x 60'
99052	Glow-in-the-Dark ANTI-SKID Tape Roll	6" x 60'
99053	Glow-in-the-Dark ANTI-SKID Tape Roll	12" x 60'
99054	Glow-in-the-Dark ANTI-SKID Cleat	6" x 24" (50/pack)
99055	Glow-in-the-Dark ANTI-SKID Cleat	6" x 24" (10/pack)



Anti-Skid Tape – Hazard Marking Diecut Cleats

- Made of B-916 grit coated polyester tape
- Two stock legends available: Caution and Watch Your Step
- Cleat size: 6" x 24"
- Standard package: 24 cleats

Legend	Size	Catalog Number
Caution	6" x 24"	78160
Watch Your Step	6" x 24"	78163

Hazard Marking Diecut Cleats provide traction on slick floors. The printed message signals a visual warning.



Anti-Skid Tape

Anti-Skid Tape – Roll Mounted



- Made of rugged B-916 adhesive-backed polyester tape coated with thousands of particles of durable aluminum oxide grit
- Bonds permanently to clean, dry floors
- Works indoors and outdoors
- Withstands grease and oil
- Eliminates masking, cleanup and drying time
- Available in a variety of sizes and colors
- Standard package: one 60' roll

Color	Size	Catalog Number
Black	1" x 60'	78189
Red	1" x 60'	78197
Black	2" x 60'	78190
Red	2" x 60'	78198
Safety Yellow	2" x 60'	78091
Pebble White	2" x 60'	78187
Clear	2" x 60'	78188
Black	4" x 60'	78191
Red	4" x 60'	78199
Safety Yellow	4" x 60'	78092
Black	6" x 60'	78193
Black	12" x 60'	78194




Anti-Skid Tape is available in a variety of colors for any floor marking needs.

Sure traction of Anti-Skid Tape helps prevent slipping and falling on wet or slick floors.

Hazard Marking Tape



- Made of B-819 matte anti-slip overlamine
- Available in four legends
- Tape size: 3"
- Standard package: one 18 yd. roll

Legend	Size	Color	Catalog Number
Caution	3"	Black/Yellow	92414
Caution/Do Not Enter	3"	Black/Yellow	92415
Caution/Watch Your Step	3"	Black/Yellow	92416
	3"	Black/Yellow	92417

Mark dangerous areas of your plant with Hazard Marking Tape.

Striped Anti-Skid Tape



- Made of B-916 grit coated polyester tape
- Adhesive backed plastic tape with an oxide grit coating
- Five sizes available
- Black and yellow striped
- Standard package: one 60' roll

Color	Size	Catalog Number
Black & Yellow Stripe	1" x 60'	78146
Black & Yellow Stripe	2" x 60'	78147
Black & Yellow Stripe	3" x 60'	78148
Black & Yellow Stripe	4" x 60'	78149
Black & Yellow Stripe	6" x 60'	78150

Bright yellow and black Striped Anti-Skid Tape aids visibility of hazardous areas.


Safety Track® Resilient Tapes

- Easily cleaned—can be mopped
- Aesthetically pleasing
- Kinder, gentler product without sacrificing performance
- Ideal for clean room, lab facilities, food processing
- Made of laminated, calendered film

Size	Catalog Number	
	Black	Gray
2" x 60'	98454	98458
4" x 60'	98455	98459
6" x 60'	98456	98460
6" x 24" cleat	98457*	98461*

*Cleats are 50 per package

Safety Track® Resilient is tough enough to use where other grit anti-slip tapes are used, but is gentler to the touch. Embossed blend of synthetic products create a high performance, non-skid surface.




Anti-Skid Tape – Diecut Cleats

- Made of B-916 grit-coated polyester tape
- Available in black
- Choice of three sizes
- Standard package: 50 cleats

Color	Size	Catalog Number
Black	¾" x 24"	78192
Black	6" x 24"	78195
Black	5½" x 5½"	78196



Installation of Diecut Cleats is easy - just peel off protective liner and press in place.



"Glow-in-the-Dark" Anti-Skid Tape – Diecut Cleats

- Cost effective to purchase and install
- Easy to clean
- Made from B-916 grit-coated polyester tape
- Material is non-toxic, non-radioactive, environmentally friendly and installs easily
- Tape and cleats comply with ASTM E-2072 and ASTM E2073 standard specifications for photoluminescent safety markings and standard test methods for luminance of photoluminescent markings

Catalog No.	Description	Size
99048	Glow-in-the-Dark ANTI-SKID Tape Roll	1" x 60'
99049	Glow-in-the-Dark ANTI-SKID Tape Roll	2" x 60'
99050	Glow-in-the-Dark ANTI-SKID Tape Roll	4" x 60'
99052	Glow-in-the-Dark ANTI-SKID Tape Roll	6" x 60'
99053	Glow-in-the-Dark ANTI-SKID Tape Roll	12" x 60'
99054	Glow-in-the-Dark ANTI-SKID Cleat	6" x 24" (50/pack)
99055	Glow-in-the-Dark ANTI-SKID Cleat	6" x 24" (10/pack)



Anti-Skid Tape – Hazard Marking Diecut Cleats

- Made of B-916 grit coated polyester tape
- Two stock legends available: Caution and Watch Your Step
- Cleat size: 6" x 24"
- Standard package: 24 cleats

Legend	Size	Catalog Number
Caution	6" x 24"	78160
Watch Your Step	6" x 24"	78163

Hazard Marking Diecut Cleats provide traction on slick floors. The printed message signals a visual warning.



Aisle Marking Dots & Applicator

Aisle Markermatic/Roll Mounted Dots



Use the Aisle Markermatic for dotted line aisle marking. Your areas will be marked and ready for work immediately - no downtime or overtime.

Aisle Markermatic

- AMA-2 Aisle Markermatic automatically dispenses, spaces and applies 2" or 3" diameter Roll Mounted Dots
- Places Roll Mounted Dots at 12½" intervals
- One person can mark 2,500 feet per hour with ease
- Dotted line approach uses less tape than conventional solid striping

Catalog Number
55544



Roll Mounted Dots are designed for machine application.

Roll Mounted Dots

- Made of B-933 vinyl tape
- Single roll of dots will mark over 1,000 lineal feet of aisle or passageway
- Choose from white, red, green or yellow
- Dots available in two sizes: 2" and 3"
- Standard package: one roll of 1,000 dots

Size	Catalog Number			
	White	Red	Green	Yellow
2"	55349	56909	56911	55331
3"	55350	56910	56912	55332

Direction Arrows

Vinyl Arrows

- Made of B-933 vinyl tape
- Four sizes available
- Choose from yellow, green, white or red
- Standard package: 100 arrows per pkg.



Vinyl Arrows

Size	Catalog Number			
	Yellow	Green	White	Red
2"	55352	56914	56916	56918
3"	55353	56915	56917	56919
4"	55354	—	—	—
5"	55355	—	—	—

"Glow-in-the-Dark" Photoluminescent Arrows

- Made of B-324 photoluminescent vinyl film
- Visually aids a fast exit during power outages and emergency situations
- Arrow size: 3"
- Standard package: 100 arrows per pkg.
- 10+ hour glow life
- Exceeds standards listed on pg. 181



"Glow-in-the-Dark" Photoluminescent Arrows

Size	Catalog Number
3"	93275

Aisle Marking Arrows/Dots

► Vinyl Dots

- Made of B-933 self-sticking vinyl tape
- Four sizes available
- Choose from yellow, red, green or white
- Standard package: 500 dots

Size	Catalog Number			
	Yellow	Red	Green	White
2"	55324	55337	55342	55347
3"	55325	55338	55343	55348
4"	55326	—	—	—
5"	55327	—	—	—



Self-sticking Aisle Marking Dots are designed for easy hand application.




Aisle Marking Dots are perfect for marking short aisles, or around machines, equipment and storage areas.

► “Glow-in-the-Dark” Photoluminescent Dots

- Made of B-324 photoluminescent vinyl film
- Four sizes available
- Standard package: 100 dots
- 10+ hour glow life

Size	Catalog Number
2"	58315
3"	58316
4"	59527
5"	59528



Directional Footprints

► “Glow-in-the-Dark” Photoluminescent Footprints

- Made of B-324 photoluminescent vinyl film
- Designed for safe exit during power outages and emergency situations
- Footprint size: 12"
- Standard package: one
- 10+ hour glow life

Foot	Catalog Number
Left	55358
Right	55359

► Vinyl Footprints

- Made of B-933 vinyl tape
- Footprint size: 12"
- Standard package: one



Vinyl Footprints

Foot	Catalog Number	Color
Left	55356	Yellow
Right	55357	Yellow
Left	56920	Green
Right	56921	Green
Left	56922	Red
Right	56923	Red
Left	56924	White
Right	56925	White



FYI

“Glow-in-the-Dark” and dots directional footprints and arrows are compliant to:

10+ hour glow life
 ASTM E2072-00/E2073-02/
 E2030-02
 ASTM/E162/E648/E662, SMP 800C
 IMO Resolution A. 752(18)
 ISO/CD 15370
 PSPA Standard 002
 Part 2 1993
 Class A Rev. 2: 09/99



“Glow-in-the-Dark” Photoluminescent Footprints

► Removable Footprints

- Durable, skid-resistant footprints with removable back
- Available in yellow, green, blue and red
- Footprint size: 11 $\frac{7}{8}$ " x 3 $\frac{3}{4}$ "
- Standard package: 10 footprints (5 left/5 right)

Catalog Number	Color
31550	Yellow
31551	Green
31552	Blue
31553	Red



Quickly and easily demonstrate the most efficient workflow procedure using these Removable Footprints.

Aisle Marking Dots & Applicator

Aisle Markermatic/Roll Mounted Dots



Use the Aisle Markermatic for dotted line aisle marking. Your areas will be marked and ready for work immediately - no downtime or overtime.

Aisle Markermatic

- AMA-2 Aisle Markermatic automatically dispenses, spaces and applies 2" or 3" diameter Roll Mounted Dots
- Places Roll Mounted Dots at 12½" intervals
- One person can mark 2,500 feet per hour with ease
- Dotted line approach uses less tape than conventional solid striping

Catalog Number
55544



Roll Mounted Dots are designed for machine application.

Roll Mounted Dots

- Made of B-933 vinyl tape
- Single roll of dots will mark over 1,000 lineal feet of aisle or passageway
- Choose from white, red, green or yellow
- Dots available in two sizes: 2" and 3"
- Standard package: one roll of 1,000 dots

Size	Catalog Number			
	White	Red	Green	Yellow
2"	55349	56909	56911	55331
3"	55350	56910	56912	55332

Direction Arrows

Vinyl Arrows

- Made of B-933 vinyl tape
- Four sizes available
- Choose from yellow, green, white or red
- Standard package: 100 arrows per pkg.



Vinyl Arrows

Size	Catalog Number			
	Yellow	Green	White	Red
2"	55352	56914	56916	56918
3"	55353	56915	56917	56919
4"	55354	—	—	—
5"	55355	—	—	—

"Glow-in-the-Dark" Photoluminescent Arrows

- Made of B-324 photoluminescent vinyl film
- Visually aids a fast exit during power outages and emergency situations
- Arrow size: 3"
- Standard package: 100 arrows per pkg.
- 10+ hour glow life
- Exceeds standards listed on pg. 181



"Glow-in-the-Dark" Photoluminescent Arrows

Size	Catalog Number
3"	93275

Aisle Marking Arrows/Dots

► Vinyl Dots

- Made of B-933 self-sticking vinyl tape
- Four sizes available
- Choose from yellow, red, green or white
- Standard package: 500 dots

Size	Catalog Number			
	Yellow	Red	Green	White
2"	55324	55337	55342	55347
3"	55325	55338	55343	55348
4"	55326	—	—	—
5"	55327	—	—	—



Self-sticking Aisle Marking Dots are designed for easy hand application.




Aisle Marking Dots are perfect for marking short aisles, or around machines, equipment and storage areas.

► “Glow-in-the-Dark” Photoluminescent Dots

- Made of B-324 photoluminescent vinyl film
- Four sizes available
- Standard package: 100 dots
- 10+ hour glow life

Size	Catalog Number
2"	58315
3"	58316
4"	59527
5"	59528



Directional Footprints

► “Glow-in-the-Dark” Photoluminescent Footprints

- Made of B-324 photoluminescent vinyl film
- Designed for safe exit during power outages and emergency situations
- Footprint size: 12"
- Standard package: one
- 10+ hour glow life

Foot	Catalog Number
Left	55358
Right	55359

► Vinyl Footprints

- Made of B-933 vinyl tape
- Footprint size: 12"
- Standard package: one



Vinyl Footprints

Foot	Catalog Number	Color
Left	55356	Yellow
Right	55357	Yellow
Left	56920	Green
Right	56921	Green
Left	56922	Red
Right	56923	Red
Left	56924	White
Right	56925	White



FYI

“Glow-in-the-Dark” and dots directional footprints and arrows are compliant to:

10+ hour glow life
 ASTM E2072-00/E2073-02/
 E2030-02
 ASTM/E162/E648/E662, SMP 800C
 IMO Resolution A. 752(18)
 ISO/CD 15370
 PSPA Standard 002
 Part 2 1993
 Class A Rev. 2: 09/99



“Glow-in-the-Dark” Photoluminescent Footprints

► Removable Footprints

- Durable, skid-resistant footprints with removable back
- Available in yellow, green, blue and red
- Footprint size: 11 $\frac{7}{8}$ " x 3 $\frac{3}{4}$ "
- Standard package: 10 footprints (5 left/5 right)

Catalog Number	Color
31550	Yellow
31551	Green
31552	Blue
31553	Red



Quickly and easily demonstrate the most efficient workflow procedure using these Removable Footprints.

Bradystake™ Warning Stakes



Bradystakes™ are rugged and flexible; even if accidentally driven over, they bend, but don't break.




Bradystakes™ are made of tough, reinforced polymer that snaps back to the upright position with no damage.

- Made of a tough, reinforced polymer
- Highly visible - bright APWA colors are easy to see, reducing accidental dig-ins
- Durable graphics - ideal for harsh environments
- Impact resistant materials - resist effects of vandalism
- Flat on both sides - two-way readability
- Lightweight - six times lighter than conventional signs and posts, so installation is easy and shipping costs are greatly reduced

E



Reflective stakes provide high visibility - day or night.



Reflective Bradystake™ Warning Stakes

- Combines the durability of the standard Bradystake™ with reflective sheeting to provide added visibility day or night
- Reflective sheeting in a 34" striped pattern is pre-applied to both sides
- Choose from two colors: orange on white reflective or black on yellow (color has 4 year life)
- Stake size: 66" tall

Item	Catalog Number
Orange on White Reflective	96922
Black on Yellow Reflective	96923



Stakes can be customized with warning stake decals, sold on next page.

Blank Bradystake™ Warning Stakes


- Blank stakes with no sign assembly
- Variety of colors available
- Stake size: 66" tall, 3 3/4" wide

Color	Catalog Number	
	With Points	Without Points
Orange	96950	96920
Yellow	96951	96921
Blue	96952	96926
Green	96953	96927
White	96954	96928
Red	96955	96929
Dark Brown	96957	96931

Bradystake™ Anchors

- Made of resilient, long-lasting spring steel
- For added stability in loose and sandy soil
- Catch soil around the stake preventing unauthorized removal
- As a custom order, anchors can be attached to Bradystake™ Warning Stakes at the factory for quick field installation
- Available in a kit for customer installation. Kit includes: anchors for five stakes, fasteners and instructions


Catalog Number
97084




1. Profile of stake with anchor
2. Anchor compresses against stake during installation
3. Anchor catches surrounding soil and prevents removal

Pilot Hole Driver and Bradystake™ Driver

- Hand tools simplify the installation of Bradystake™ Warning Stakes in any soil condition
- Use the Pilot Hole Driver to make a starter hole where the ground is hard or rocky. Then Move the Pilot Hole Driver up and down over the pilot shaft to drive the spade into the ground
- Use the Bradystake™ Driver to drive the marker into the ground
- Pilot Hole Driver weight: 37 lbs.
- Bradystake™ Driver weight: 20 lbs.



Pilot Hole Driver



Bradystake™ Driver

Catalog Number	Description	Weight
96901	Pilot Hole Driver	37 lbs.
96902	Bradystake™ Driver	20 lbs.

Bradystake™ Warning Stake Labels


- Made of B-302 polyester
- Decal size: 14" x 3" (H x W)
- 1" blank area at bottom will accommodate separate label with company name and telephone number
- Avoid custom lead times by ordering these stock labels with Blank Bradystake™ Warning Stakes (sold separately above)

Catalog Number

85552

85551

85406



Catalog No.
85552



Catalog No.
85551



Catalog No.
85406

Custom Bradystake™ Warning Stakes

- Made of highly visible, durable B-130 polymer
- Resistant to weathering and will not rust or corrode
- Stake size: 66" tall, 34/5" wide
- Weight: 2.75 lbs.
- APWA specified colors:
 - Yellow - oil/gas distribution and transmission
 - Orange - telecommunications and cable TV
 - Blue - water systems
 - Green - sewer systems
 - Red - electrical power
 - White - proposed excavations
- Patent No. 4,812,343
- Available with one of the sign options below:

Bradystake™ Warning Stakes With B-302 Polyester Decal

- Decal made of B-302 premium outdoor grade polyester film with permanent adhesive
- UV and abrasion resistant
- Flat on both sides - decals can be applied to both sides of stake
- No assembly required - decal can be applied to both sides

Bradystake™ Warning Stakes With B-120 Fibershield® Fiberglass Sign

- Sign made of B-120 Fibershield® fiberglass
- Subsurface printed graphics resist abrasion, impact, chemicals and vandalism
- Signs will not chip, fade, rust, shatter or peel - guaranteed for 15 years
- Single or double-sided available
- No assembly required - decal can be applied to both sides



To Order Your Custom Bradystake™ Warning Stakes Please Specify:

1. Stake length (if other than standard 66" length)
2. Stake color
3. Sign option:
 - B-302 Polyester Decal
 - single-sided
 - double-sided
 - B-120 Fiber-Shield® Fiberglass Sign
 - single-sided
 - double-sided
4. Graphics color(s):
 - For B-302 Polyester Decal and B-120 Fiberglass Sign, choose from black, blue, green, red, yellow, white or orange
5. Sign size (if other than the standard 14" x 3" sign)
6. Stakes with or without points
7. Stakes with or without anchors
8. Provide legend and logo information per your specifications




Prevent accidental dig-ins by marking underground gas/oil pipelines, telecommunication cables, electric power lines, and water and sewer lines with Bradystake™ Warning Stakes.

Bradystake™ Trial Kits

- Bradystake™ Warning Stakes available in Trial Kit form
- Kit contains: twenty 66" orange or yellow stakes with standard size B-302 decals pre-applied to both sides
- Kit also includes one Pilot Hole Driver and one Bradystake™ Driver



Brady Aisle Marking Supplies



Aisle Marking Tape-for use with obsolete Brady Marking Tape Applier

- Tape fits aisle marking tape applier sold in prior catalogs
- Made of long-wearing B-725 vinyl tape
- Applies quickly and sticks tightly
- Choose from yellow, red, green, white, blue or black
- Tape available in two sizes: 2" and 3"
- Standard package: one 36 yd. Roll
- Tape does not work with Universal Line Applicator

! **NEW**

Most colors available in 4" rolls and 4 new colors

Paint-for use with obsolete Brady Paint Striper

- Paint is used with paint striper sold in previous catalogs
- Paint available in yellow, red, blue or white
- Standard package: case of twelve 20 fl. oz. Cans
- Paint does not work with Universal Line Marker

Paint

Catalog No.			
Yellow	Red	Blue	White
56901	56902	56903	56904


Size	Catalog No.									
	Yellow	Red	Green	White	Blue	Black	Orange	Brown	Purple	Grey
2"	58200	58201	58202	58203	58220	58222	102825	102828	102827	102826
3"	58250	58251	58252	58253	58221	58223	102829	102832	102831	102830
4"	102838	102836	102834	102837	102833	102839	102835	102840	-	-

Safety Mirrors



Convex - 60° visibility eliminates blind intersections.

- Made of impact-resistant plastic
- Improve visibility and safety by providing a wide or enhanced field of vision
- Perfect for warehouses, loading docks, production areas, offices and public areas
- Two styles available: dome or convex
- Use dome mirrors to view large areas or for overhead viewing
- Use convex mirrors in low ceiling areas, elevators and smaller viewing areas
- Hardware included



Dome - prevents collision in high hazard areas.

Size	Description	Catalog Number
26" diam.	Outdoor Convex	86340
18" diam.	Indoor Convex	86341
18" diam.	Half Dome 180°	86342
18" diam.	Quarter Dome 90°	86343
24" diam.	Full Dome 360°	86344