

Identification Tag Material Description

Below are more detailed descriptions of valve tag materials offered throughout the Identification Tags Section.



Choose a valve tag that best suits your needs. Tags are available in the following materials: (A) Plastic Tag, (B) Aluminum, (C) Fiberglass, (D) Sheathed HEET Tag, (E) Stainless Steel, (F) 2-Ply Engraved, (G) Brass, (H) Teflon, (I) Laminated, (J) HEET Tag, (K) Poly-tag and (L) Polyester Tag.

HEET TAG (B-748) – pages 325, 329

Designed for use in the most severe environments, this tag construction features overlaminated polyester label graphics permanently bonded to a stainless steel baseplate. You have complete flexibility in tag graphics design. Large type, small type, bold type, bar codes, valve numbers, operating instructions, etc. can all be included in your tag text at no extra cost. Optional protective tag covers are available to assure readability even when covered with paint.

BRASS (B-907) – pages 323, 331

Made from 19 gauge cartridge brass (40 mils thick) and used for general purpose valve identification. These tags are available in standard 1 1/2" and 2" round and square styles. You can purchase blank tags and stamp or engrave them yourself, or you can select from our large list of stock pre-stamped items shown on the next page.

POLYURETHANE VALVE TAGS (B-462) – page 333

For a durable valve tag that can withstand extreme conditions and temperatures from -40°F to +250°F, try our Poly-TagValve Tags. Tags are made of multi-purpose polyurethane that is heat stamped with the numbering or lettering of your choice. Four tag styles are available. Each style may be fastened with wire, S-hooks and chain, or nylon ties. The chemical composition of the tag makes it ideal for outdoor use and on small diameter pipes when chlorides are not to come in contact with the pipe.

ALUMINUM (B-906) – pages 324, 331

Type 3003-H14 material has been anodized, dyed, and sealed. These tags allow you to color code by content, system or service. Stock blank tags and custom engraved tags are available.

STAINLESS STEEL – pages 324, 331

Stock blank tags are offered for on-site engraving or custom tags can be pre-stamped by the factory. Pre-stamped tags may be black filled for easier readability. Equipment tags (which may include a bar code) are surface coated with ink and then engraved.

FIBERGLASS (B-120) – page 329

Fiberglass Reinforced Plastic Tags feature graphics embedded within a fiberglass/resin package. Fifteen year outdoor durability.

TEFLON COATED ALUMINUM (B-541) – page 329

Anodized aluminum printed with black text and coated with Teflon®. Recommended for use in dirty environments. Tags can be painted over, yet wipe off easily so they can be read.

3-PLY ENGRAVED (B-1) – page 333

A rigid laminate, which has tag text engraved through a colored cap sheet to a contrasting colored base sheet, provides bright color coding options for the custom wording you've selected.

LAMINATED (B-911) – page 331

Preprinted paper with colored borders thermally sealed in a polyester pouch help you to establish or maintain your color coding system.

DURABLE PLASTIC TAGS (B-418) – pages 325, 328

Colorful Plastic Tag has recess on both sides to apply printed label. Non-corrosive and lightweight.

POLYESTER (B-851) – pages 325, 334

Grommited heavy duty polyester tags withstand moisture, grease and dirt. Average Outdoor Durability: 3-5 years (Average Expected outdoor life of product will depend on user definition of failure, climate conditions)

Valve Tag Material Selection Guide

Valve Tag Material Selection Chart

- Use the chart below to help determine which material best meets your valve tag application needs.

	HIGH PERFORMANCE				GENERAL PURPOSE				
	HEET Tag B-748 Page 328	Teflon B-541 Page 329	Fiberglass B-120 Page 329	Plastic Tag B-418 Page 325	Brass B-907 Page 323	Aluminum B-906 Page 324	Engraved Stainless Steel Page 324	3-Ply Engraved B-1 Page 333	Laminated B-911 Page 331
Characteristic									
PLANT ENVIRONMENT									
Indoor	Good	Good	Good	Good	Good	Good	Good	Good	Good
Avg. Outdoor Durability (yrs.)	5-7	up to 10	15	**5-7	3-6	up to 2	5-7	5-8	2-4
Surface Abrasion Resistance	Good	Good	Good	Good	Good	Good	Good	Good	Good
TEMPERATURES									
Upper Limit	248°F, 120°C	500°F, 260°C	193°F, 89°C	260°F, 127°C	233°F, 113°C	233°F, 113°C	233°F, 113°C	193°F, 89°C	250°F, 121°C
Lower Limit	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	n/a	-40°F, -40°C	n/a
SPECIAL PROPERTIES									
Bar Coding Available	Yes	Yes	No	Yes	No	No	No	No	No
Protective Covering Available	Yes	No	No	Yes	No	No	No	No	No

**Includes Tedlar overlaminates n/a - data not available.

Brass Valve Tags

Blank Brass Valve Tags (B-907)

- Standard package: 25 identical tags

Blank Brass Valve Tag (B-907)

Size	Shape	Catalog Number
1½"	Round	23210
2"	Round	23211
1½"	Square	23212
2"	Square	23213



Create your own custom brass tags on-site with Brady steel stamps (sold on page 327) or with your own engraver.




Stock Stamped Brass Valve Tags (B-907)

- 19 gauge cartridge brass (40 mils thick)
- 1½" diameter
- Black filled text for easy readability
- Standard package: 25 identical tags

Brass Valve Tags (B-907)

Description
1½" Round



Stock Stamped Brass Valve Tags

Use the chart below to determine if the tag you need is available as a stock order. In the first column, find the top line service abbreviation. Then, follow the row across to find the stock number for the serial sequence you need. Stock sequences are available for immediate shipment.

	Bottom Line Number Sequence																											
Top Line Copy	1-25	26-50	51-75	76-100	101-125	126-150	151-175	176-200	201-225	226-250	251-275	276-300	301-325	326-350	351-375	376-400	401-425	426-450	451-475	476-500								
(Blank)	23200	23201	23202	23203	23204	23205	23206	23207	23208	23209	23617	23618	23619	23620	23621	23622	23623	23624	23625	23626								
AC	23272	23273	23274	23275	23480	23481	23482	23483	23484	23485	23486	23487	23488	23489	23490	23491	23492	23493	23494	23495								
CA	87460	87461	87462	87463	87464	87465	87466	87467	87468	87469	87470	87471	87472	87473	87474	87475	87476	87477	87478	87479								
CHW	23516	23517	23518	23519	23520	23521	23522	23523	23524	23525	23526	23527	23528	23529	23530	23531	23532	23533	23534	23535								
CHWR	23596	23597	23598	23599	23600	23601	23602	23603	23604	23605	23606	23607	23608	23609	23610	23611	23612	23613	23614	23615								
CHWS	23576	23577	23578	23579	23580	23581	23582	23583	23584	23585	23586	23587	23588	23589	23590	23591	23592	23593	23594	23595								
COND	23647	23648	23649	23650	23651	23652	23653	23654	23655	23656	23657	23658	23659	23660	23661	23662	23663	23664	23665	23666								
CW	23256	23257	23258	23259	23400	23401	23402	23403	23404	23405	23406	23407	23408	23409	23410	23411	23412	23413	23414	23415								
CWR	87100	87101	87102	87103	87104	87105	87106	87107	87108	87109	87110	87111	87112	87113	87114	87115	87116	87117	87118	87119								
CWS	87120	87121	87122	87123	87124	87125	87126	87127	87128	87129	87130	87131	87132	87133	87134	87135	87136	87137	87138	87139								
DCW	87200	87201	87202	87203	87204	87205	87206	87207	87208	87209	87300	87302	87303	87304	87305	87306	87307	87308	87309	87310								
DCWR	87331	87332	87333	87334	87335	87336	87337	87338	87339	87340	87341	87342	87343	87344	87345	87346	87347	87348	87349	87350								
DCWS	87371	87372	87373	87374	87375	87376	87377	87378	87379	87380	87381	87382	87383	87384	87385	87386	87387	87388	87389	87390								
DHW	87180	87181	87182	87183	87184	87185	87186	87187	87188	87189	87190	87191	87192	87193	87194	87195	87196	87197	87198	87199								
DHWR	87311	87312	87313	87314	87315	87316	87317	87318	87319	87320	87321	87322	87323	87324	87325	87326	87327	87328	87329	87330								
DHWS	87351	87352	87353	87354	87355	87356	87357	87358	87359	87360	87361	87362	87363	87364	87365	87366	87367	87368	87369	87370								
FP	23667	23668	23669	23670	23671	23672	23673	23674	23675	23676	23677	23678	23679	23680	23681	23682	23683	23684	23685	23686								
GAS	23264	23265	23266	23267	23448	23449	23450	23451	23452	23453	23454	23455	23456	23457	23458	23459	23460	23461	23462	23463								
HPS	44720	44721	44722	44723	44724	44725	44726	44727	44728	44729	44730	44731	44732	44733	44734	44735	44736	44737	44738	44739								
HTG	23268	23269	23270	23271	23464	23465	23466	23467	23468	23469	23470	23471	23472	23473	23474	23475	23476	23477	23478	23479								
HW	23276	23277	23278	23279	23416	23417	23418	23419	23420	23421	23422	23423	23424	23425	23426	23427	23428	23429	23430	23431								
HWR	23536	23537	23538	23539	23540	23541	23542	23543	23544	23545	23546	23547	23548	23549	23550	23551	23552	23553	23554	23555								
HWS	23556	23557	23558	23559	23560	23561	23562	23563	23564	23565	23566	23567	23568	23569	23570	23571	23572	23573	23574	23575								
HVAC	87140	87141	87142	87143	87144	87145	87146	87147	87148	87149	87150	87151	87152	87153	87154	87155	87156	87157	87158	87159								
LPC	87390	87391	87392	87393	87394	87395	87396	87397	87398	87399	87400	87401	87402	87403	87404	87405	87406	87407	87408	87409								
LPS	44740	44741	44742	44743	44744	44745	44746	44747	44748	44749	44750	44751	44752	44753	44754	44755	44756	44757	44758	44759								
MPS	44700	44701	44702	44703	44704	44705	44706	44707	44708	44709	44710	44711	44712	44713	44714	44715	44716	44717	44718	44719								
OXY	87480	87481	87482	87483	87484	87485	87486	87487	87488	87489	87490	87491	87492	87493	87494	87495	87496	87497	87498	87499								
PLBG	23260	23261	23262	23263	23432	23433	23434	23435	23436	23437	23438	23439	23440	23441	23442	23443	23444	23445	23446	23447								
SPK	23627	23628	23629	23630	23631	23632	23633	23634	23635	23636	23637	23638	23639	23640	23641	23642	23643	23644	23645	23646								
SPR	87160	87161	87162	87163	87164	87165	87166	87167	87168	87169	87170	87171	87172	87173	87174	87175	87176	87177	87178	87179								
STM	23496	23497	23498	23499	23500	23501	23502	23503	23504	23505	23506	23507	23508	23509	23510	23511	23512	23513	23514	23515								
VAC	87500	87501	87502	87503	87504	87505	87506	87507	87508	87509	87510	87511	87512	87513	87514	87515	87516	87517	87518	87519								

Brass Valve Tags

Blank Brass Valve Tags (B-907)

- Standard package: 25 identical tags

Blank Brass Valve Tag (B-907)

Size	Shape	Catalog Number
1½"	Round	23210
2"	Round	23211
1½"	Square	23212
2"	Square	23213



Create your own custom brass tags on-site with Brady steel stamps (sold on page 327) or with your own engraver.




Stock Stamped Brass Valve Tags (B-907)

- 19 gauge cartridge brass (40 mils thick)
- 1½" diameter
- Black filled text for easy readability
- Standard package: 25 identical tags

Brass Valve Tags (B-907)


Description
1½" Round



Stock Stamped Brass Valve Tags

Use the chart below to determine if the tag you need is available as a stock order. In the first column, find the top line service abbreviation. Then, follow the row across to find the stock number for the serial sequence you need. Stock sequences are available for immediate shipment.

	Bottom Line Number Sequence																											
Top Line Copy	1-25	26-50	51-75	76-100	101-125	126-150	151-175	176-200	201-225	226-250	251-275	276-300	301-325	326-350	351-375	376-400	401-425	426-450	451-475	476-500								
(Blank)	23200	23201	23202	23203	23204	23205	23206	23207	23208	23209	23617	23618	23619	23620	23621	23622	23623	23624	23625	23626								
AC	23272	23273	23274	23275	23480	23481	23482	23483	23484	23485	23486	23487	23488	23489	23490	23491	23492	23493	23494	23495								
CA	87460	87461	87462	87463	87464	87465	87466	87467	87468	87469	87470	87471	87472	87473	87474	87475	87476	87477	87478	87479								
CHW	23516	23517	23518	23519	23520	23521	23522	23523	23524	23525	23526	23527	23528	23529	23530	23531	23532	23533	23534	23535								
CHWR	23596	23597	23598	23599	23600	23601	23602	23603	23604	23605	23606	23607	23608	23609	23610	23611	23612	23613	23614	23615								
CHWS	23576	23577	23578	23579	23580	23581	23582	23583	23584	23585	23586	23587	23588	23589	23590	23591	23592	23593	23594	23595								
COND	23647	23648	23649	23650	23651	23652	23653	23654	23655	23656	23657	23658	23659	23660	23661	23662	23663	23664	23665	23666								
CW	23256	23257	23258	23259	23400	23401	23402	23403	23404	23405	23406	23407	23408	23409	23410	23411	23412	23413	23414	23415								
CWR	87100	87101	87102	87103	87104	87105	87106	87107	87108	87109	87110	87111	87112	87113	87114	87115	87116	87117	87118	87119								
CWS	87120	87121	87122	87123	87124	87125	87126	87127	87128	87129	87130	87131	87132	87133	87134	87135	87136	87137	87138	87139								
DCW	87200	87201	87202	87203	87204	87205	87206	87207	87208	87209	87300	87302	87303	87304	87305	87306	87307	87308	87309	87310								
DCWR	87331	87332	87333	87334	87335	87336	87337	87338	87339	87340	87341	87342	87343	87344	87345	87346	87347	87348	87349	87350								
DCWS	87371	87372	87373	87374	87375	87376	87377	87378	87379	87380	87381	87382	87383	87384	87385	87386	87387	87388	87389	87390								
DHW	87180	87181	87182	87183	87184	87185	87186	87187	87188	87189	87190	87191	87192	87193	87194	87195	87196	87197	87198	87199								
DHWR	87311	87312	87313	87314	87315	87316	87317	87318	87319	87320	87321	87322	87323	87324	87325	87326	87327	87328	87329	87330								
DHWS	87351	87352	87353	87354	87355	87356	87357	87358	87359	87360	87361	87362	87363	87364	87365	87366	87367	87368	87369	87370								
FP	23667	23668	23669	23670	23671	23672	23673	23674	23675	23676	23677	23678	23679	23680	23681	23682	23683	23684	23685	23686								
GAS	23264	23265	23266	23267	23448	23449	23450	23451	23452	23453	23454	23455	23456	23457	23458	23459	23460	23461	23462	23463								
HPS	44720	44721	44722	44723	44724	44725	44726	44727	44728	44729	44730	44731	44732	44733	44734	44735	44736	44737	44738	44739								
HTG	23268	23269	23270	23271	23464	23465	23466	23467	23468	23469	23470	23471	23472	23473	23474	23475	23476	23477	23478	23479								
HW	23276	23277	23278	23279	23416	23417	23418	23419	23420	23421	23422	23423	23424	23425	23426	23427	23428	23429	23430	23431								
HWR	23536	23537	23538	23539	23540	23541	23542	23543	23544	23545	23546	23547	23548	23549	23550	23551	23552	23553	23554	23555								
HWS	23556	23557	23558	23559	23560	23561	23562	23563	23564	23565	23566	23567	23568	23569	23570	23571	23572	23573	23574	23575								
HVAC	87140	87141	87142	87143	87144	87145	87146	87147	87148	87149	87150	87151	87152	87153	87154	87155	87156	87157	87158	87159								
LPC	87390	87391	87392	87393	87394	87395	87396	87397	87398	87399	87400	87401	87402	87403	87404	87405	87406	87407	87408	87409								
LPS	44740	44741	44742	44743	44744	44745	44746	44747	44748	44749	44750	44751	44752	44753	44754	44755	44756	44757	44758	44759								
MPS	44700	44701	44702	44703	44704	44705	44706	44707	44708	44709	44710	44711	44712	44713	44714	44715	44716	44717	44718	44719								
OXY	87480	87481	87482	87483	87484	87485	87486	87487	87488	87489	87490	87491	87492	87493	87494	87495	87496	87497	87498	87499								
PLBG	23260	23261	23262	23263	23432	23433	23434	23435	23436	23437	23438	23439	23440	23441	23442	23443	23444	23445	23446	23447								
SPK	23627	23628	23629	23630	23631	23632	23633	23634	23635	23636	23637	23638	23639	23640	23641	23642	23643	23644	23645	23646								
SPR	87160	87161	87162	87163	87164	87165	87166	87167	87168	87169	87170	87171	87172	87173	87174	87175	87176	87177	87178	87179								
STM	23496	23497	23498	23499	23500	23501	23502	23503	23504	23505	23506	23507	23508	23509	23510	23511	23512	23513	23514	23515								
VAC	87500	87501	87502	87503	87504	87505	87506	87507	87508	87509	87510	87511	87512	87513	87514	87515	87516	87517	87518	87519								




MAXIMUM NUMBER OF CHARACTERS PER LINE		
Size	Top Line	Bottom Line
1 1/2" Tags	5	3
2" Tags	6	4


CHOOSE: Shape, Size, Lettering for TOP line, Numbering for BOTTOM line, and Character Color (natural or black-filled). See chart for maximum characters per line.

NOTE: Black-filled legend is recommended over Natural for maximum legibility. All tags are produced Natural unless specifically requested. For optional fill colors or quantities over 1000 tags, please call your local Distributor for quote and lead time, or call us toll-free at **1-888-272-3946**.

Custom Stamped Brass Tags (B-907)



19 Gauge Brass



Octagon/Hexagon and Triangle Tags - CST1084

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill

Square and Round Tags - CST1083

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill

Custom Stamped Aluminum Tags (B-906)

- Durable 19 gauge aluminum tags
- Available in round or square shapes in either 1 1/2" or 2" sizes.
- Withstands temperatures of 1500° F

CST1086

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill



Custom Stamped Stainless Steel Tags

- Durable .025" stainless steel tags.
- Available in round or square shapes in either 1 1/2" or 2" sizes.
- Withstands temperatures of 2700° F

CST1085

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill



Identification Tags

Energy Source Tags



Identify your energy source with Brady's Energy Source Tags

- Tags are constructed with B-401 Plastic
- Rounded corners with 1 hole
- Available in packages of 5 or 25

Legend	Picto Name	Color	5 pk	25 pk
CP-1		Orange/White	105634	105674
CP-2		Orange/White	105635	105675
CP-3		Orange/White	105636	105676
CP-4		Orange/White	105637	105677
CP-5		Orange/White	105638	105678
E-1	Electric Bolt	Red/White	105639	105679
E-2	Electric Bolt	Red/White	105640	105680
E-3	Electric Bolt	Red/White	105641	105681
E-4	Electric Bolt	Red/White	105642	105682
E-5	Electric Bolt	Red/White	105643	105683
W-1	Spout	White/Green	105644	105684
W-2	Spout	White/Green	105645	105685
W-3	Spout	White/Green	105646	105686
W-4	Spout	White/Green	105647	105687
W-5	Spout	White/Green	105648	105688
S-1	Single Pressure Gauge	White/Red	105649	105689
S-2	Single Pressure Gauge	White/Red	105650	105690
S-3	Single Pressure Gauge	White/Red	105651	105691
S-4	Single Pressure Gauge	White/Red	105652	105692
S-5	Single Pressure Gauge	White/Red	105653	105693

Legend	Picto Name	Color	5 pk	25 pk
P-1	Double Pressure Gauge	White/Blue	105654	105694
P-2	Double Pressure Gauge	White/Blue	105655	105695
P-3	Double Pressure Gauge	White/Blue	105656	105696
P-4	Double Pressure Gauge	White/Blue	105657	105697
P-5	Double Pressure Gauge	White/Blue	105658	105698
S-1	Single Pressure Gauge	Black/Orange	105659	105699
S-2	Single Pressure Gauge	Black/Orange	105660	105700
S-3	Single Pressure Gauge	Black/Orange	105661	105701
S-4	Single Pressure Gauge	Black/Orange	105662	105702
S-5	Single Pressure Gauge	Black/Orange	105663	105703
V-1	Spout	Black/White	105664	105704
V-2	Spout	Black/White	105665	105705
V-3	Spout	Black/White	105666	105706
V-4	Spout	Black/White	105667	105707
V-5	Spout	Black/White	105668	105708
G-1	Double Pressure Gauge	Purple/White	105669	105709
G-2	Double Pressure Gauge	Purple/White	105670	105710
G-3	Double Pressure Gauge	Purple/White	105671	105711
G-4	Double Pressure Gauge	Purple/White	105672	105712
G-5	Double Pressure Gauge	Purple/White	105673	105713

* CP and E tags are supplied with an adhesive back

Stock Blank Aluminum Tags (B-906)



Brady Stock Blank Aluminum Valve Tags are ideal for color-coding applications.

- Anodized aluminum is dyed to offer color-coding options not available with brass tags
- Available in twelve colors
- Choose from 1½" or 2" round styles
- Standard package: 25 tags

Tag Size	Shape	Color	Part #
1½" DIA.	Round	Black	87605
2" DIA.	Round	Black	87612
1½" X 1½"	Square	Black	87619
2" X 2"	Square	Black	87637
1½" DIA.	Round	Blue	49902
2" DIA.	Round	Blue	49907
1½" X 1½"	Square	Blue	87629
2" X 2"	Square	Blue	87641
1½" DIA.	Round	Gold	87601
2" DIA.	Round	Gold	87608
1½" X 1½"	Square	Gold	87615
2" X 2"	Square	Gold	87633
1½" DIA.	Round	Green	49903
2" DIA.	Round	Green	49908
1½" X 1½"	Square	Green	87630
2" X 2"	Square	Green	87642
1½" DIA.	Round	Light Blue	87606
2" DIA.	Round	Light Blue	87613
1½" X 1½"	Square	Light Blue	87620
2" X 2"	Square	Light Blue	87638
1½" DIA.	Round	Natural	49904
2" DIA.	Round	Natural	49909
1½" X 1½"	Square	Natural	87631
2" X 2"	Square	Natural	87643

Tag Size	Shape	Color	Part #
1½" DIA.	Round	Olive Drab	87602
2" DIA.	Round	Olive Drab	87609
1½" X 1½"	Square	Olive Drab	87616
2" X 2"	Square	Olive Drab	87634
1½" DIA.	Round	Orange	87604
2" DIA.	Round	Orange	87611
1½" X 1½"	Square	Orange	87618
2" X 2"	Square	Orange	87636
1½" DIA.	Round	Pink	87603
2" DIA.	Round	Pink	87610
1½" X 1½"	Square	Pink	87617
2" X 2"	Square	Pink	87635
1½" DIA.	Round	Red	49901
2" DIA.	Round	Red	49906
1½" X 1½"	Square	Red	87628
2" X 2"	Square	Red	87640
1½" DIA.	Round	Violet	87600
2" DIA.	Round	Violet	87607
1½" X 1½"	Square	Violet	87614
2" X 2"	Square	Violet	87632
1½" DIA.	Round	Yellow	49900
2" DIA.	Round	Yellow	49905
1½" X 1½"	Square	Yellow	87627
2" X 2"	Square	Yellow	87639

Stock Blank Stainless Steel Tags (B-748)



Customize Stock Blank Stainless Steel Valve Tags on the spot with your own engraver.

- Ideal for harsh environments or where a stainless steel material is specified
- Available in two standard sizes
- Round or square shapes available
- Tag hole is 3/16"
- Standard package: 25 tags

Tag Size	Tag Shape	Catalog Number
1½"	Round	44400
1½"	Square	44401
2"	Round	44402
2"	Square	44403

Customize It
Custom Stamped Aluminum Tags available see pg 331

May We Also Suggest...
Stainless Steel Strapping see pg 327

Customize It
Custom Energy Source tags are also available. Contact your local Brady Distributor for more information.

Identification Tags

Energy Source Tags



Identify your energy source with Brady's Energy Source Tags

- Tags are constructed with B-401 Plastic
- Rounded corners with 1 hole
- Available in packages of 5 or 25

Legend	Picto Name	Color	5 pk	25 pk
CP-1		Orange/White	105634	105674
CP-2		Orange/White	105635	105675
CP-3		Orange/White	105636	105676
CP-4		Orange/White	105637	105677
CP-5		Orange/White	105638	105678
E-1	Electric Bolt	Red/White	105639	105679
E-2	Electric Bolt	Red/White	105640	105680
E-3	Electric Bolt	Red/White	105641	105681
E-4	Electric Bolt	Red/White	105642	105682
E-5	Electric Bolt	Red/White	105643	105683
W-1	Spout	White/Green	105644	105684
W-2	Spout	White/Green	105645	105685
W-3	Spout	White/Green	105646	105686
W-4	Spout	White/Green	105647	105687
W-5	Spout	White/Green	105648	105688
S-1	Single Pressure Gauge	White/Red	105649	105689
S-2	Single Pressure Gauge	White/Red	105650	105690
S-3	Single Pressure Gauge	White/Red	105651	105691
S-4	Single Pressure Gauge	White/Red	105652	105692
S-5	Single Pressure Gauge	White/Red	105653	105693

Legend	Picto Name	Color	5 pk	25 pk
P-1	Double Pressure Gauge	White/Blue	105654	105694
P-2	Double Pressure Gauge	White/Blue	105655	105695
P-3	Double Pressure Gauge	White/Blue	105656	105696
P-4	Double Pressure Gauge	White/Blue	105657	105697
P-5	Double Pressure Gauge	White/Blue	105658	105698
S-1	Single Pressure Gauge	Black/Orange	105659	105699
S-2	Single Pressure Gauge	Black/Orange	105660	105700
S-3	Single Pressure Gauge	Black/Orange	105661	105701
S-4	Single Pressure Gauge	Black/Orange	105662	105702
S-5	Single Pressure Gauge	Black/Orange	105663	105703
V-1	Spout	Black/White	105664	105704
V-2	Spout	Black/White	105665	105705
V-3	Spout	Black/White	105666	105706
V-4	Spout	Black/White	105667	105707
V-5	Spout	Black/White	105668	105708
G-1	Double Pressure Gauge	Purple/White	105669	105709
G-2	Double Pressure Gauge	Purple/White	105670	105710
G-3	Double Pressure Gauge	Purple/White	105671	105711
G-4	Double Pressure Gauge	Purple/White	105672	105712
G-5	Double Pressure Gauge	Purple/White	105673	105713

* CP and E tags are supplied with an adhesive back

Stock Blank Aluminum Tags (B-906)



Brady Stock Blank Aluminum Valve Tags are ideal for color-coding applications.

- Anodized aluminum is dyed to offer color-coding options not available with brass tags
- Available in twelve colors
- Choose from 1½" or 2" round styles
- Standard package: 25 tags

Tag Size	Shape	Color	Part #
1½" DIA.	Round	Black	87605
2" DIA.	Round	Black	87612
1½" X 1½"	Square	Black	87619
2" X 2"	Square	Black	87637
1½" DIA.	Round	Blue	49902
2" DIA.	Round	Blue	49907
1½" X 1½"	Square	Blue	87629
2" X 2"	Square	Blue	87641
1½" DIA.	Round	Gold	87601
2" DIA.	Round	Gold	87608
1½" X 1½"	Square	Gold	87615
2" X 2"	Square	Gold	87633
1½" DIA.	Round	Green	49903
2" DIA.	Round	Green	49908
1½" X 1½"	Square	Green	87630
2" X 2"	Square	Green	87642
1½" DIA.	Round	Light Blue	87606
2" DIA.	Round	Light Blue	87613
1½" X 1½"	Square	Light Blue	87620
2" X 2"	Square	Light Blue	87638
1½" DIA.	Round	Natural	49904
2" DIA.	Round	Natural	49909
1½" X 1½"	Square	Natural	87631
2" X 2"	Square	Natural	87643

Tag Size	Shape	Color	Part #
1½" DIA.	Round	Olive Drab	87602
2" DIA.	Round	Olive Drab	87609
1½" X 1½"	Square	Olive Drab	87616
2" X 2"	Square	Olive Drab	87634
1½" DIA.	Round	Orange	87604
2" DIA.	Round	Orange	87611
1½" X 1½"	Square	Orange	87618
2" X 2"	Square	Orange	87636
1½" DIA.	Round	Pink	87603
2" DIA.	Round	Pink	87610
1½" X 1½"	Square	Pink	87617
2" X 2"	Square	Pink	87635
1½" DIA.	Round	Red	49901
2" DIA.	Round	Red	49906
1½" X 1½"	Square	Red	87628
2" X 2"	Square	Red	87640
1½" DIA.	Round	Violet	87600
2" DIA.	Round	Violet	87607
1½" X 1½"	Square	Violet	87614
2" X 2"	Square	Violet	87632
1½" DIA.	Round	Yellow	49900
2" DIA.	Round	Yellow	49905
1½" X 1½"	Square	Yellow	87627
2" X 2"	Square	Yellow	87639

Stock Blank Stainless Steel Tags (B-748)



Customize Stock Blank Stainless Steel Valve Tags on the spot with your own engraver.

- Ideal for harsh environments or where a stainless steel material is specified
- Available in two standard sizes
- Round or square shapes available
- Tag hole is 3/16"
- Standard package: 25 tags

Tag Size	Tag Shape	Catalog Number
1½"	Round	44400
1½"	Square	44401
2"	Round	44402
2"	Square	44403

Customize It


Custom Stamped Aluminum Tags available see pg 331

May We Also Suggest...

Stainless Steel Strapping see pg 327

Customize It

Custom Energy Source tags are also available. Contact your local Brady Distributor for more information.




MAXIMUM NUMBER OF CHARACTERS PER LINE

Size	Top Line	Bottom Line
1 1/2" Tags	5	3
2" Tags	6	4


CHOOSE: Shape, Size, Lettering for TOP line, Numbering for BOTTOM line, and Character Color (natural or black-filled). See chart for maximum characters per line.

NOTE: Black-filled legend is recommended over Natural for maximum legibility. All tags are produced Natural unless specifically requested. For optional fill colors or quantities over 1000 tags, please call your local Distributor for quote and lead time, or call us toll-free at **1-888-272-3946**.

Custom Stamped Brass Tags (B-907)



19 Gauge Brass



Octagon/Hexagon and Triangle Tags - CST1084

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill

Square and Round Tags - CST1083

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill

Custom Stamped Aluminum Tags (B-906)

- Durable 19 gauge aluminum tags
- Available in round or square shapes in either 1 1/2" or 2" sizes.
- Withstands temperatures of 1500° F

CST1086

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill



Custom Stamped Stainless Steel Tags

- Durable .025" stainless steel tags.
- Available in round or square shapes in either 1 1/2" or 2" sizes.
- Withstands temperatures of 2700° F

CST1085

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill



Stock Durable Plastic Tags (B-418)



- Durable Plastic Tags are lightweight, non-corrosive, non-conductive and impact resistant
- Tag withstands temperatures between -40°F to 260°F
- Two sizes available: 1½" x 3" or 2½" x 4" label area
- Rounded corners and hole punched
- Tags are sold individually



Durable Plastic Tags (B-418)

Catalog Number	Color	Size
41920	Black	1½" x 3"
41921	Black	2½" x 4"
41922	Yellow	1½" x 3"
41923	Yellow	2½" x 4"
41924	Red	1½" x 3"
41925	Red	2½" x 4"
41926	Blue	1½" x 3"
41927	Blue	2½" x 4"
41928	Green	1½" x 3"
41929	Green	2½" x 4"

Catalog Number	Color	Size
87694	Orange	1½" x 3"
87695	Orange	2½" x 4"
87696	White	1½" x 3"
87697	White	2½" x 4"
87698	Grey	1½" x 3"
87699	Grey	2½" x 4"
87710	Brown	1½" x 3"
87711	Brown	2½" x 4"
87712	Tan	1½" x 3"
87713	Tan	2½" x 4"

Choose from ten bright colors.

Customize It

Custom Label Durable Plastic Tags available see pg 328

Stock Blank Stainless Steel (HEET) Tags (B-748)



- Ability to customize wording for each valve or piece of equipment
- Enhance employee safety
- Available in two sizes: 2" x 2" or 2½" x 5"
- Standard Package - 10 tags

Stainless Steel (HEET) Tags (B-748)

Size	Catalog No.
2" x 2"	89226
2½" x 5"	89227
2½" x 5" w/cover	89228



Two different styles are available for the 2½" x 5" tag. The optional covers protect the tag information from debris and allow clear reading of the tag even after exposure to airborne debris.

Customize It

Custom Labeled (HEET) Tags available see pg 329

Stock Polyester Tags (B-851)

- 2½" x 2" grommated polyester tags
- Choose from 7 different legends
- Also available in a self laminating blank tag
- Sold in packages of 10 identical tags

Stock Polyester Tags (B-851)

Legend	Color	Catalog No.
Normally Closed	White/Red	89245
Normally Open	White/Green	89246
Compressed Air	White/Blue	89247
Main Shut-Off	White/Red	89248
Do Not Adjust	Black/Yellow	89249
Fire Protection Water	White/Red	89250
Natural Gas	Black/Yellow	89251
Blank w/Self Overlam	Red	89252
Blank w/Self Overlam	Blue	89253
Blank w/Self Overlam	Yellow	89254
Blank w/Self Overlam	Green	89255

Customize It

Custom Polyester Tags available see pg 334





CUSTOM HIGH PERFORMANCE TAGS



- Automate the collection of vital information required by law
- Increase accuracy, integrity and security of your information
- Save time and labor
- Four tough ID Tag options let you choose the style that best suits your application and environment
- Legend lists and layouts may be emailed for ease of ordering and to increase accuracy

HIGH PERFORMANCE				
Characteristic	HEET Tag B-748 Page 329	Teflon B-541 Page 329	Fiberglass B-120 Page 329	Plastic Tag B-418 Page 328
PLANT ENVIRONMENT				
Indoor	Good	Good	Good	Good
Avg. Outdoor Durability (yrs.)	5-7	up to 10	15	**5-7
Surface Abrasion Resistance	Good	Good	Good	Good
TEMPERATURES				
Upper Limit	248°F, 120°C	500°F, 260°C	193°F, 89°C	260°F, 127°C
Lower Limit	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C
CHEMICAL RESISTANCE				
Organic Solvents (MEK, Acetone, Toluene)	NR	Good	NR	NR
Acids (Sulfuric, HCl, Acetic)	Good	NR	NR	Good
Alkali (Sodium Hydroxide)	NR	NR	NR	Good
Alcohols (Methanol, Isopropanol)	NR	Good	Good	Good
Grease/Oils (SAE 20, ASTM#3)	Good	Good	Good	Good
SPECIAL PROPERTIES				
Bar Coding Available	Yes	Yes	No	Yes
Protective Covering Available	Yes	No	No	Yes



Brady offers a complete line of ID tags that are designed to stand up to the toughest conditions including Harsh Environment Tag (HEET). Sheathed HEET Tags, Teflon Tags, Fiberglass Tags, and the Durable Plastic Tag (VIP).

Custom Durable Plastic Tags (B-418)



- Durable Plastic Tags are lightweight, non-corrosive, non-conductive and impact resistant
- Withstands temperatures between -40°F to 260°F
- Two sizes available: 1½" x 3" or 2½" x 4" label area
- Bar code options include 3 of 9 or Code 128
- Overlamine choices include standard or UV resistant for longer durability
- Tags Sold individually
- 10 Colors Available: Black, Yellow, Red, Blue, Green, Orange, White, Grey, Brown & Tan

! NEW

Custom Durable Plastic Tags are now available w/ Reflective & Photoluminescent Vinyl.

Make your plant visually instructive with Brady's Plastic Valve Tags. Designed to stand up to harsh environments, Plastic Tags are a durable way to accurately mark valves.

(B-418) Plastic Tag with Standard Overlamine (VIP) - CST1074

- 1.5" x 3" label on one side
- 1.5" x 3" label on both sides
- 2.5" x 4" label on one side
- 2.5" x 4" label on both sides

(B-418) Plastic Tag with UV Resistant

Overlamine (VIP) - CST1075

- 1.5" x 3" label on one side
- 1.5" x 3" label on both sides
- 2.5" x 4" label on one side
- 2.5" x 4" label on both sides



Glow VIP Tags

Stock Durable Plastic Tags (B-418)



- Durable Plastic Tags are lightweight, non-corrosive, non-conductive and impact resistant
- Tag withstands temperatures between -40°F to 260°F
- Two sizes available: 1½" x 3" or 2½" x 4" label area
- Rounded corners and hole punched
- Tags are sold individually



Durable Plastic Tags (B-418)

Catalog Number	Color	Size
41920	Black	1½" x 3"
41921	Black	2½" x 4"
41922	Yellow	1½" x 3"
41923	Yellow	2½" x 4"
41924	Red	1½" x 3"
41925	Red	2½" x 4"
41926	Blue	1½" x 3"
41927	Blue	2½" x 4"
41928	Green	1½" x 3"
41929	Green	2½" x 4"

Catalog Number	Color	Size
87694	Orange	1½" x 3"
87695	Orange	2½" x 4"
87696	White	1½" x 3"
87697	White	2½" x 4"
87698	Grey	1½" x 3"
87699	Grey	2½" x 4"
87710	Brown	1½" x 3"
87711	Brown	2½" x 4"
87712	Tan	1½" x 3"
87713	Tan	2½" x 4"

Choose from ten bright colors.

Customize It

Custom Label Durable Plastic Tags available see pg 328

Stock Blank Stainless Steel (HEET) Tags (B-748)



- Ability to customize wording for each valve or piece of equipment
- Enhance employee safety
- Available in two sizes: 2" x 2" or 2½" x 5"
- Standard Package - 10 tags

Stainless Steel (HEET) Tags (B-748)

Size	Catalog No.
2" x 2"	89226
2½" x 5"	89227
2½" x 5" w/cover	89228



Two different styles are available for the 2½" x 5" tag. The optional covers protect the tag information from debris and allow clear reading of the tag even after exposure to airborne debris.

Customize It

Custom Labeled (HEET) Tags available see pg 329

Stock Polyester Tags (B-851)

- 2½" x 2" grommated polyester tags
- Choose from 7 different legends
- Also available in a self laminating blank tag
- Sold in packages of 10 identical tags

Stock Polyester Tags (B-851)

Legend	Color	Catalog No.
Normally Closed	White/Red	89245
Normally Open	White/Green	89246
Compressed Air	White/Blue	89247
Main Shut-Off	White/Red	89248
Do Not Adjust	Black/Yellow	89249
Fire Protection Water	White/Red	89250
Natural Gas	Black/Yellow	89251
Blank w/Self Overlam	Red	89252
Blank w/Self Overlam	Blue	89253
Blank w/Self Overlam	Yellow	89254
Blank w/Self Overlam	Green	89255

Customize It

Custom Polyester Tags available see pg 334





Custom Harsh Environment Equipment Tags (HEET)



- Ability to customize wording for each valve or piece of equipment
- Enhance employee safety
- Available in two sizes: 2" x 2" or 2½" x 5"
- Text may be on one or both sides
- ASME (ANSI) color options provide an easy method of color coding within the plant including yellow, red, green, blue or white
- Variety of formats and labels to choose from
- Many formats offer 3 of 9 bar coding as a standard option
- Minimum order: 25 tags

Harsh Environment Tags (B-748) - CST1077

Size

2½" x 2", one-sided
2½" x 2", two sided
2½" x 5", one-sided
2½" x 5", two-sided

For quantities over 1000 please call your local Distributor for quote and lead time, or call us toll-free at **1-888-272-3946**.

Tag Covers

Covers available for the 2½" x 5" tag only. Tag covers protect the tag information from debris and allow clear reading of the tag even after exposure to airborne debris.




Tag Covers (B-789) - CST1078

Size

2½" x 5", one-sided w/sheath
2½" x 5", two-sided w/sheath

Custom Teflon Tags



Teflon coated tags make it easy to wipe off grease, dirt and even paint for fast bar code reading.

- Anodized aluminum with Teflon® coating resists paint, most chemicals, sunlight (UV), solvents, and heat to 500°F (260°C)
- Teflon coating on both sides resists corrosion
- Legends, bar codes and human readable text available with variable print
- Fixed custom message, warning or logo may be added to all tags
- Custom sizes are also available



Teflon Tags (B-541) - CST1076

Size

1½" x 1½", one-sided
1½" x 1½", two-sided
1" x 3", one-sided
1" x 3", two sided

Custom Fiberglass Tags (B-120)

- Graphics are embedded with tags to withstand moisture, grease, and dirt
- Standard colors are yellow and white
- Ability to add barcodes and multiple lines
- Custom sizes and colors available
- Rigid

Fiberglass Tags (B-120) - CST1079

Size

2" x 2"
2" x 4"



Stock Durable Plastic Tags (B-418)



- Durable Plastic Tags are lightweight, non-corrosive, non-conductive and impact resistant
- Tag withstands temperatures between -40°F to 260°F
- Two sizes available: 1½" x 3" or 2½" x 4" label area
- Rounded corners and hole punched
- Tags are sold individually



Durable Plastic Tags (B-418)

Catalog Number	Color	Size
41920	Black	1½" x 3"
41921	Black	2½" x 4"
41922	Yellow	1½" x 3"
41923	Yellow	2½" x 4"
41924	Red	1½" x 3"
41925	Red	2½" x 4"
41926	Blue	1½" x 3"
41927	Blue	2½" x 4"
41928	Green	1½" x 3"
41929	Green	2½" x 4"

Catalog Number	Color	Size
87694	Orange	1½" x 3"
87695	Orange	2½" x 4"
87696	White	1½" x 3"
87697	White	2½" x 4"
87698	Grey	1½" x 3"
87699	Grey	2½" x 4"
87710	Brown	1½" x 3"
87711	Brown	2½" x 4"
87712	Tan	1½" x 3"
87713	Tan	2½" x 4"

Choose from ten bright colors.

Customize It

Custom Label Durable Plastic Tags available see pg 328

Stock Blank Stainless Steel (HEET) Tags (B-748)



- Ability to customize wording for each valve or piece of equipment
- Enhance employee safety
- Available in two sizes: 2" x 2" or 2½" x 5"
- Standard Package - 10 tags

Stainless Steel (HEET) Tags (B-748)

Size	Catalog No.
2" x 2"	89226
2½" x 5"	89227
2½" x 5" w/cover	89228



Two different styles are available for the 2½" x 5" tag. The optional covers protect the tag information from debris and allow clear reading of the tag even after exposure to airborne debris.

Customize It

Custom Labeled (HEET) Tags available see pg 329

Stock Polyester Tags (B-851)

- 2½" x 2" grommated polyester tags
- Choose from 7 different legends
- Also available in a self laminating blank tag
- Sold in packages of 10 identical tags

Stock Polyester Tags (B-851)

Legend	Color	Catalog No.
Normally Closed	White/Red	89245
Normally Open	White/Green	89246
Compressed Air	White/Blue	89247
Main Shut-Off	White/Red	89248
Do Not Adjust	Black/Yellow	89249
Fire Protection Water	White/Red	89250
Natural Gas	Black/Yellow	89251
Blank w/Self Overlam	Red	89252
Blank w/Self Overlam	Blue	89253
Blank w/Self Overlam	Yellow	89254
Blank w/Self Overlam	Green	89255

Customize It

Custom Polyester Tags available see pg 334





CUSTOM TAGS

Laminated Tags (B-911)



Laminated Valve Tags provide an economical custom tag that is fully sealed from the environment.

CST1093


Dimension

3 1/2" x 2 1/2"


5" x 3 1/2"

Minimum order : 50 tags per size

Two sizes available:



Letter Size: 0.2"
Lines of Copy: 4
Characters Per Line: 8



Letter Size: 0.4"
Lines of Copy: 6
Characters Per Line: 8

- Available in red, yellow, blue, green and white for color-coding options
- Tags have square corners and a brass grommet
- Polyester laminate withstands exposure to moisture, solvents, grease and dirt
- Two sizes available: 2 1/2" x 3 1/2", and 3 1/2" x 5"

May We Also Suggest...
Tag Fasteners available
see pgs 326-327

Custom Polyester Tags (B-851)



- Rigid polyester surface exceeds OSHA 50 lb. pull out requirement
- Polyester tags withstand moisture, grease and dirt
- Standard colors include red, yellow, blue, green and white
- Ability to add barcodes and multiple lines

Acceptable Data & Artwork files formats

(Mac or Windows)

- Adobe Illustrator CS2 or earlier
- Corel Draw 12.0 or earlier
- QuarkXPress 6.5 or earlier
- Photoshop CS2 or earlier

Note: Files will be printed "as is" unless otherwise indicated. Further file manipulation will be subject to an engineering fee.

Guidelines: All fonts should be outlined or supplied in either Postscript Type1 (both screen and printer fonts) or Truetype formats.

Any images placed into your final file must be supplied.

Any placed images must have the original files supplied as well as the final files.

CST1094

Size

2 1/2" x 2"

For quantities over 1000 tags please call toll free at 1-888-272-3946.
Minimum order: 25 tags

Valve Tag Fasteners

Colored Nylon Ties

- 8" Nylon tie provides easy fastening of valve tags
- Hook ties together to create longer lengths
- Sold in Packs of 100



Catalog No.	Color
98848	Black
98849	Blue
98850	Green
98851	Natural
98852	Orange
98853	Purple
98854	Red
98855	Yellow

Solid "S" Hooks

- Available in three size O.D.s: 1 3/4", 1 1/2" and 1 1/4"
- Standard package: 100 "S" Hooks, sold in full packages only



Catalog Number	Size	For Valve Stems Up To
Brass		
23305	1 3/4" O.D.	1/2"
23304	1 1/2" O.D.	3/8"
23303	1 1/4" O.D.	1/4"
Stainless Steel		
98860	1 3/4" O.D.	1/2"
98861	1 1/2" O.D.	3/8"
98862	1 1/4" O.D.	1/4"

Zinc Plated

- Temporary fastener for valve tags and other tag attachments
- Squeeze fastener to open and close
- Inside diameter of fastener is 1 3/8"
- Sold in Packs of 100



Catalog No.
98858

Key Ring


- Nickel plated
- 1" in diameter
- Sold in packs of 10



Catalog No.
58973

4 1/2" Beaded Chain

- Available in #6 brass, nickel plate, aluminum, and stainless steel
- Extremely flexible 4 1/2" bead chain with locking link
- Standard package: 100 chains, sold in full packages only



Catalog Number	Description
23306	#6 Brass
23307	#6 Nickel Plate
98856	#6 Aluminum
98857	#6 Stainless Steel

#16 Jack Chain

- Tough, solid chain
- Open and close links to adjust to size needed
- Approximately 25 links per foot
- Approximately 10-12 inches is enough to fasten one tag
- Standard package: 50 feet of chain, sold in full packages only



#16 Jack Chain
Catalog Number
23308 Brass #16
98859 Stainless Steel



A. Stainless Steel Safety Wire (32 mil)


- Economical 5 lb. canister
- Use with wire twister pliers
- Standard package: 1800'

B. Wire Twister Pliers

- In a quick single action, pliers quickly and tightly twist safety wire to lock-wire tags in place

D. Stainless Steel Safety Wire
Catalog Number
15424

E. Wire Twister Pliers
Catalog Number
15425



C. Lead Seals

- 12" wires with pre-fitted lead seals fit easily around pipes or valves
- Use with Hand Sealing Press
- Available in copper and monel
- Standard package: 250

D. Hand Sealing Press

- Quickly and permanently crimp your lead seals with Brady's own hand sealer
- Prevents tampering
- Custom initials available (max. of 3) call your local distributor for more information.

F. Lead Seals
Catalog Number
23301 Copper
23302 Monel

G. Hand Sealing Press
Catalog Number
23300

Valve Tag Fasteners

E-1. Crimping Tool

- Secure and crimp brass clamp

E-2. Cutting Tool


- Cuts Stainless Steel Wire

F. Brass Wire Clamps - Double Ferrule Design

- Use to secure or splice Stainless Steel Wire
- Made from brass for strength and durability
- Standard package: 50

G. Stainless Wire (48 mil)

- Stranded stainless steel wire
- 30' rolls
- For secure attachment, use with brass clamps



E. Tool

Catalog Number

38088 A (1)

38089 A (2)

F. Brass Wire Clamps

Catalog Number

38090

G. Stainless Steel Wire

Catalog Number

38091

H. Stainless Steel Strapping


- Made from type 316 stainless steel
- Continuous form strapping 1/4" wide, is used with heads and Banding Tool, sold below
- Recommended for use with B-748 HEET Tags
- Available in 100', 250' and 1000'

I. Stainless Steel Banding Heads

- Creates secure closure
- Fits 1/4" strapping
- Use Banding Heads with continuous strapping and Banding Tool, sold below
- Standard Package: 100

J. Banding Tool

- Lightweight pocket size tool for use with banding straps



H. Stainless Steel Strapping

Catalog Number

42331 100'

42332 250'

42333 1000'

I. Stainless Steel Banding Heads


Catalog Number

90910 Type 316

J. Banding Tool

Catalog Number

42322



Steel Stamps

D. Steel Stamps

- Customize your own valve tags onsite using Blank Brass Valve Tags (sold on page 323 and Brady Steel Stamps to make the impression

Type of Set	Character Size	Number of Characters Per Set	Catalog Number
Letter Set	1/4"	27	23240
Number Set	1/4"	9	23241
Letter Set	1/2"	27	23242
Number Set	1/2"	9	23243



Valve Chart Frames

D. Valve Chart Frames

- Use Valve Chart Frames to display your valve tag charts (chart included)
- Use valve tag chart to list up to 50 locations
- Rugged extruded, clear anodized aluminum frame comes with clear plastic window
- Frame holds 8" x 11" valve tag charts

Catalog Number

23309



Valve Finder Ceiling Tacks

D. Valve Finder Ceiling Tacks

- Use Valve Finder Ceiling Tacks on accessible tile ceilings to indicate the location of valves, dampers, gauges, sensors and other controls
- 7/8" diameter head
- Available in six colors
- Standard package: 25 identical tacks

Color	Catalog Number
Yellow	23250
Green	23251
Red	23252
Blue	23253
White	23254
Orange	23255



Fine Point Marking Pen

D. Fine Point Marking Pen

- Stock marking pens contain black ink
- Ideal for writing on Valve Finder Ceiling Tacks

Catalog Number

87052



CUSTOM HIGH PERFORMANCE TAGS



- Automate the collection of vital information required by law
- Increase accuracy, integrity and security of your information
- Save time and labor
- Four tough ID Tag options let you choose the style that best suits your application and environment
- Legend lists and layouts may be emailed for ease of ordering and to increase accuracy

HIGH PERFORMANCE				
Characteristic	HEET Tag B-748 Page 329	Teflon B-541 Page 329	Fiberglass B-120 Page 329	Plastic Tag B-418 Page 328
PLANT ENVIRONMENT				
Indoor	Good	Good	Good	Good
Avg. Outdoor Durability (yrs.)	5-7	up to 10	15	**5-7
Surface Abrasion Resistance	Good	Good	Good	Good
TEMPERATURES				
Upper Limit	248°F, 120°C	500°F, 260°C	193°F, 89°C	260°F, 127°C
Lower Limit	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C
CHEMICAL RESISTANCE				
Organic Solvents (MEK, Acetone, Toluene)	NR	Good	NR	NR
Acids (Sulfuric, HCl, Acetic)	Good	NR	NR	Good
Alkali (Sodium Hydroxide)	NR	NR	NR	Good
Alcohols (Methanol, Isopropanol)	NR	Good	Good	Good
Grease/Oils (SAE 20, ASTM#3)	Good	Good	Good	Good
SPECIAL PROPERTIES				
Bar Coding Available	Yes	Yes	No	Yes
Protective Covering Available	Yes	No	No	Yes



Brady offers a complete line of ID tags that are designed to stand up to the toughest conditions including Harsh Environment Tag (HEET). Sheathed HEET Tags, Teflon Tags, Fiberglass Tags, and the Durable Plastic Tag (VIP).

Custom Durable Plastic Tags (B-418)



- Durable Plastic Tags are lightweight, non-corrosive, non-conductive and impact resistant
- Withstands temperatures between -40°F to 260°F
- Two sizes available: 1½" x 3" or 2½" x 4" label area
- Bar code options include 3 of 9 or Code 128
- Overlamine choices include standard or UV resistant for longer durability
- Tags Sold individually
- 10 Colors Available: Black, Yellow, Red, Blue, Green, Orange, White, Grey, Brown & Tan

! NEW

Custom Durable Plastic Tags are now available w/ Reflective & Photoluminescent Vinyl.

Make your plant visually instructive with Brady's Plastic Valve Tags. Designed to stand up to harsh environments, Plastic Tags are a durable way to accurately mark valves.

(B-418) Plastic Tag with Standard Overlamine (VIP) - CST1074

- 1.5" x 3" label on one side
- 1.5" x 3" label on both sides
- 2.5" x 4" label on one side
- 2.5" x 4" label on both sides

(B-418) Plastic Tag with UV Resistant

Overlamine (VIP) - CST1075

- 1.5" x 3" label on one side
- 1.5" x 3" label on both sides
- 2.5" x 4" label on one side
- 2.5" x 4" label on both sides



Glow VIP Tags



Custom Harsh Environment Equipment Tags (HEET)



- Ability to customize wording for each valve or piece of equipment
- Enhance employee safety
- Available in two sizes: 2" x 2" or 2½" x 5"
- Text may be on one or both sides
- ASME (ANSI) color options provide an easy method of color coding within the plant including yellow, red, green, blue or white
- Variety of formats and labels to choose from
- Many formats offer 3 of 9 bar coding as a standard option
- Minimum order: 25 tags

Harsh Environment Tags (B-748) - CST1077

Size

2½" x 2", one-sided
2½" x 2", two sided
2½" x 5", one-sided
2½" x 5", two-sided

For quantities over 1000 please call your local Distributor for quote and lead time, or call us toll-free at **1-888-272-3946**.

Tag Covers

Covers available for the 2½" x 5" tag only. Tag covers protect the tag information from debris and allow clear reading of the tag even after exposure to airborne debris.




Tag Covers (B-789) - CST1078

Size

2½" x 5", one-sided w/sheath
2½" x 5", two-sided w/sheath

Custom Teflon Tags



Teflon coated tags make it easy to wipe off grease, dirt and even paint for fast bar code reading.

- Anodized aluminum with Teflon® coating resists paint, most chemicals, sunlight (UV), solvents, and heat to 500°F (260°C)
- Teflon coating on both sides resists corrosion
- Legends, bar codes and human readable text available with variable print
- Fixed custom message, warning or logo may be added to all tags
- Custom sizes are also available



Teflon Tags (B-541) - CST1076

Size

1½" x 1½", one-sided
1½" x 1½", two-sided
1" x 3", one-sided
1" x 3", two sided

Custom Fiberglass Tags (B-120)

- Graphics are embedded with tags to withstand moisture, grease, and dirt
- Standard colors are yellow and white
- Ability to add barcodes and multiple lines
- Custom sizes and colors available
- Rigid

Fiberglass Tags (B-120) - CST1079

Size

2" x 2"
2" x 4"






CUSTOM GENERAL PURPOSE TAGS



ASME A13.1 - 1996

Recommends the use of a permanently legible tag for identification of materials in pipes less than 3/4" (19mm) in diameter.



GENERAL PURPOSE					
Characteristic	Brass B-907 Pages 331,332	Aluminum B-906 Pages 330-332	Engraved Stainless Steel Page 332	3-Ply Engraved B-1 Page 333	Laminated B-911 Page 334
PLANT ENVIRONMENT					
Indoor	Good	Good	Good	Good	Good
Avg. Outdoor Durability (yrs.)	3-6	up to 2	5-8	5-7	2-4
Surface Abrasion Resistance	Good	Good	Good	Good	Good
TEMPERATURES					
Upper Limit	233°F, 113°C	233°F, 113°C	193°F, 89°C	233°F, 113°C	250°F, 121°C
Lower Limit	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	n/a	n/a
CHEMICAL RESISTANCE					
Organic Solvents (MEK, Acetone, Toluene)	NR	NR	n/a	NR	n/a
Acids (Sulfuric, HCl, Acetic)	NR	NR	n/a	NR	n/a
Alkali (Sodium Hydroxide)	NR	NR	n/a	Good	n/a
Alcohols (Methanol, Isopropanol)	Good	NR	n/a	Good	n/a
Grease/Oils (SAE 20, ASTM#3)	Good	Good	n/a	Good	Good
SPECIAL PROPERTIES					
Bar Coding Available	No	No	No	No	No
Protective Covering Available	No	No	No	No	No

n/a - data not available.

NR - tag not recommended for this exposure.

Brady-Etch™ Aluminum Valve Tags (B-906)



Brady-Etch™ Aluminum Valve Tags give you the ability to customize with text and bar codes.

- Ability to add bar codes, (blue tags only) multiple lines on one tag
- Available in four colors: red, yellow, blue and green
- Choose round or square styles in 1½" or 2" sizes

BradyEtch™ Tags - CST1091

Size	Shape
1½"	Round or Square
2"	Round or Square

Brady-Etch™ tags available in natural legend only.


Brady-Etch™ Stainless Steel ID Tags (B-748)



- Black enamel background
- Made of .015" stainless steel
- Two mounting holes for attachment (screws provided)
- Available in three standard sizes: ¾" x 2½", 1" x 3", or 1½" x 4"
- Accommodates up to four lines of copy
- May be produced on a one-of-a-kind basis (call for minimums)

BradyEtch™ Valve Tags - CST1090

Size
¾" x 2½"
1" x 3"
1½" x 4"




MAXIMUM NUMBER OF CHARACTERS PER LINE

Size	Top Line	Bottom Line
1 1/2" Tags	5	3
2" Tags	6	4


CHOOSE: Shape, Size, Lettering for TOP line, Numbering for BOTTOM line, and Character Color (natural or black-filled). See chart for maximum characters per line.

NOTE: Black-filled legend is recommended over Natural for maximum legibility. All tags are produced Natural unless specifically requested. For optional fill colors or quantities over 1000 tags, please call your local Distributor for quote and lead time, or call us toll-free at **1-888-272-3946**.

Custom Stamped Brass Tags (B-907)



19 Gauge Brass



Octagon/Hexagon and Triangle Tags - CST1084

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill

Square and Round Tags - CST1083

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill

Custom Stamped Aluminum Tags (B-906)

- Durable 19 gauge aluminum tags
- Available in round or square shapes in either 1 1/2" or 2" sizes.
- Withstands temperatures of 1500° F

CST1086

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill



Custom Stamped Stainless Steel Tags

- Durable .025" stainless steel tags.
- Available in round or square shapes in either 1 1/2" or 2" sizes.
- Withstands temperatures of 2700° F

CST1085

Size	Color
1 1/2"	Natural or Black Fill
2"	Natural or Black Fill



CUSTOM ENGRAVED TAGS



- Choose from Brass, Aluminum and Stainless Steel tags
- Round or Square tags are available

Maximum Number of Characters

Tag Size	Max. Lines Per Tag	Bottom Line
1½" Round	3	8
1½" Square	3	12
2" Round	3	10
2" Square	3	16

Note: Black-filled legend is recommended over natural due to legibility. All tags are produced natural unless a black fill is specifically requested.

May We Also Suggest...

Bead & Jack Chain available see pg 326

Custom Engraved Brass Tags (B-907)



- Durable 19 gauge brass tags
- Available in round or square shapes in either 1½" or 2" sizes
- Withstands temperatures of 1200° F

Engraved Brass Tags (B-907) - CST1087

Size	Color
1½"	Natural or Black Fill
2"	Natural or Black Fill

For special fill colors or quantities over 1000 tags please call your local Distributor for quote and lead time... Or call us toll-free at 1-888-272-3946

Custom Engraved Aluminum Tags (B-



- Durable 19 gauge aluminum tags
- Available in round or square shapes in either 1½" or 2" sizes
- Withstands temperatures of 1500° F

Engraved Aluminum Tags (B-906) - CST1089

Size	Color
1½"	Natural or Black Fill
2"	Natural or Black Fill

For special fill colors or quantities over 1000 tags please call your local Distributor for quote and lead time... Or call us toll-free at 1-888-272-3946

Natural	Black	Light Blue
Olive Drab	Pink	Orange
Dark	Green	Gold
Red	Yellow	Violet

Custom Engraved Stainless Steel Tags



- Durable .025 stainless steel tags
- Available in round or square shapes in either 1½" or 2" sizes
- Withstands temperatures of 2700° F

Engraved Stainless Steel (B-748) - CST1088

Size
1½"
2"

For tags with black fill or for quantities over 1000 tags please call your local Distributor for quote and lead time... Or call us toll-free at 1-888-272-3946



- Custom wording available
- Available in multiple background colors
- Material is 1/16" rigid laminate plastic (B-1)
- Heat resistant, non-conductive, non-corroding



Color Options

Lettering	Background
Black	Yellow
Black	White
White	Green
White	Red
White	Blue
White	Black

Size Options

Tag Size	Maximum Number of Characters	
	Top Line	Bottom Line
1 1/2"	4	3
2"	5	5

Hole size: 3/16"

Custom 3-Ply Valve Tags

Price Per Tag (Round or Square) - CST1081

Size
1 1/2"
2"



Available in six background colors



Color Options

Lettering	Background
Black	White
Black	Orange
Black	Yellow
White	Green
White	Blue
White	Red
White	Black
Green	White
Red	White
Blue	White

CST1082

Size
.75" x 2.5"
1" x 2.5"
1" x 3"
2" x 3"
1.5" x 4"
2" x 4"



Available in seven background colors

Polyurethane Tags (B-462)

Chemical and oil resistant polyurethane tags were made for harsh environments. For a durable valve tag that can withstand extreme conditions and temperatures from -40°F to +250°F, try our Poly-Tag Valve Tags. Tags are made of multi-purpose polyurethane that is heat stamped with the numbering or lettering of your choice. Four tag styles are available. Each style may be fastened with wire, S-hooks and chain, or nylon ties. The chemical composition of the tag makes it ideal for outdoor use and on small diameter pipes when chlorides are not to come in contact with the pipe.

Style 1
(4) 1/2" Characters, 1 line
3/4" x 2-5/8"



Style 2
(5) 1/2" Characters, 3 lines
(3) 1" Characters, 2 lines
3" x 3"



Style 3
(4) 1/2" Characters, 1 line
2-3/16" x 2"



Style 4
(5) 1/2" Characters, 3 lines
(3) 1" Characters, 2 lines
3" x 3-3/8"



Poly Tag - CST1092

Tag Style
1
2
3
4



CUSTOM TAGS

Laminated Tags (B-911)



Laminated Valve Tags provide an economical custom tag that is fully sealed from the environment.

CST1093


Dimension

3 1/2" x 2 1/2"


5" x 3 1/2"

Minimum order : 50 tags per size

Two sizes available:



Letter Size: 0.2"
Lines of Copy: 4
Characters Per Line: 8



Letter Size: 0.4"
Lines of Copy: 6
Characters Per Line: 8

- Available in red, yellow, blue, green and white for color-coding options
- Tags have square corners and a brass grommet
- Polyester laminate withstands exposure to moisture, solvents, grease and dirt
- Two sizes available: 2 1/2" x 3 1/2", and 3 1/2" x 5"

May We Also Suggest...
Tag Fasteners available
see pgs 326-327

Custom Polyester Tags (B-851)



- Rigid polyester surface exceeds OSHA 50 lb. pull out requirement
- Polyester tags withstand moisture, grease and dirt
- Standard colors include red, yellow, blue, green and white
- Ability to add barcodes and multiple lines

Acceptable Data & Artwork files formats
(Mac or Windows)

- Adobe Illustrator CS2 or earlier
- Corel Draw 12.0 or earlier
- QuarkXPress 6.5 or earlier
- Photoshop CS2 or earlier

Note: Files will be printed "as is" unless otherwise indicated. Further file manipulation will be subject to an engineering fee.
Guidelines: All fonts should be outlined or supplied in either Postscript Type1 (both screen and printer fonts) or Truetype formats.
Any images placed into your final file must be supplied.
Any placed images must have the original files supplied as well as the final files.

CST1094

Size

2 1/2" x 2"

For quantities over 1000 tags please call toll free at 1-888-272-3946.
Minimum order: 25 tags